

INVITATION TO BID FOR

Power Supply System

(Name of Project)

- 1. The CITY GOVERNMENT OF ZAMBOANGA, through the AB FY 2019 intends to apply the sum of ELEVEN MILLION NINE HUNDRED SEVENTY SIX THOUSAND SEVEN HUNDRED FIFTY PESOS (P11,976,750.00) ONLY being the Approved Budget for the Contract (ABC) to payments under the contract for Power Supply System (PR No. 100-20-11-2404). Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The CITY GOVERNMENT OF ZAMBOANGA now invites bids for the 100 units LED Street Light and 249 units LED Street Light. Delivery of the GOODS is required by Twelve (12) Calendar Days. Bidders should have completed within a period of ten (10) years from the date of submission and receipt of bids, a contract similar to the Project, with a value of at least (50%) of the ABC and to meet other eligibility requirements stated in the Eligibility Documents. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184.

 Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
- 4. Prospective Bidders may obtain further information from CITY GOVERNMENT OF ZAMBOANGA in the Office of the City Mayor-Procurement, Acquisition and Awards Division (CMO-PAAD) and inspect the Bidding Documents at the address given below during 8:00 AM to 5:00 PM.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on **January 05**, **2021 to January 25**, **2021** from the given address and website/s below and upon payment of a non-refundable fee for the Bidding Documents, pursuant to the latest guidelines issued by the GPPB, in the amount of **P11**,976.75. The method of payment will be **Cash payable to the City Treasurer's Office**. The Bidding Documents shall be received personally by the Prospective Bidder or his/her authorized representative. The Procuring Entity shall allow the bidder to present its proof of payment for the fees "machine copy of the official receipt" not later than the submission of their bids.
- 6. The CITY GOVERNMENT OF ZAMBOANGA will hold a Pre-bid Conference on **January 13, 2021 at 10:00 AM** at Office of the City Mayor Procurement, Acquisition and Awards Division (CMO-PAAD), Conference Room, Villalobos St., Zamboanga City, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before **January 25**, **2021 at 10:00 AM**. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a Bid Security in any of the acceptable forms and in the amount stated in ITB Clause 14.

All Bids must be accompanied by a Bid Security which shall be a **Bid Securing Declaration or** at least one other form of the following: cash, cashier's/manager's check, bank draft/guarantee confirmed by a Universal/Commercial Bank, Irrevocable Letter of Credit issued by a Universal/Commercial Bank or from other bank certified by the Bangko Sentral ng Pilipinas as authorized to issue such financial instrument, provided however that it shall be confirmed or authenticated by a Universal/Commercial Bank if issued by a foreign bank in the amount of **P239,535.00** or Surety Bond callable upon demand issued by a Surety or Insurance Company duly certified by the Insurance Commission as authorized to issue such security in the amount of **P598,837.50** or any combination of the foregoing in the amount proportionate to share of form with respect to total amount of security.

The Bid Security shall be denominated in Philippine Pesos and posted in favor of the Procuring Entity.

Bidders are required to indicate the BRAND NAME and/or NAME OF MANUFACTURER of GOODS offered/quoted, when appropriate.

- 9. Bid opening shall be on **January 25, 2021 at 10:00 AM** at Office of the City Mayor Procurement, Acquisition and Awards Division (CMO-PAAD), Conference Room, Villalobos St., Zamboanga City. Bids will be opened in the presence of the bidder's representatives who choose to attend the activity.
- 10. To be delivered in the CGSO-Office of the City Engineer
- 11. The CITY GOVERNMENT OF ZAMBOANGA reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 35.6 and 41 of the 2016 revised Implementing Rules or Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. Bidders are advised to use the BID FORM at the back of this ITB. Failure to do so would lead to non-acceptance of the bid.
- **13.** For Further information please refer to:

MR. RONALD A. VICETE

BAC Secretariat
Office of the City Mayor - Procurement, Acquisition and Awards Division
Villalobos Street, Zamboanga City
zcbac.sec@gmail.com
Tel. No. (062) 992-7763



BID FORM

	Date:
	STRINGENT OF ZAMBOANGA Street ZAMBOANGA CITY
	examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers including Bid Bulletin 21-0105-0004 the receipt of which is hereby duly acknowledge, we, the undersigned, offer to supply/deliver/perform Powe in conformity with the said Philippine Bidding Documents (PBDs) for the sum of the su
	or (total Bid amount in words and figures)
Schedules attache	d bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price defends herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the e.g. (i) value added tax (VAT), (ii) income tax' (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized hereindedules,
if our Bio	d is accepted, we undertake:
a.	To deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
b.	To provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
C.	To abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon as at any time before the expiration of that period.
Commis awarded the contr	nis paragraph if Foreign-Assisted Project with the Development Partner: sions or gratuities, if any, paid, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are act, are listed below: s Amount and Purpose of agent Currency Commission or gratuity
(if none, state "No	ne")]
Until a f shall be binding up	formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award bon us.
We unde	erstand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.
We certi	fy/confirm that we comply with the eligibility requirements pursuant to the PBDs.
The und	ersigned is authorized to submit the bid on behalf of(name of bidder)
as evidenced by the	ne attached (name of bidder) (state the written authority)
	(state the written authority)
We ack	nowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ection of our bid.
Name:	
Legal Capacity:	
Signature:	
Duly authorized to	sign the Bid for and behalf of:

PRICE SCHEDULE FOR GOODS

Name of Bidder Solicitation No.: **Goods 21-0105-0004** Page 1 of 3

	of Bidder				OGO E I V	7100 000+	Page 1 of 3					
1	2		3	4		5	6	7	8	9	10	
Item	Descriptio	n	Country of origin	Quar	itity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destinatior (Col.9) x (col 4)	
• • •	LED STREET LIGHT			100	Units							
	Estimated Cost: P3,075,000.00 POWER	250W										
	LUMINOUS FLUX	3000-32500LM							HOUSING AND DRIV			
	POWER FACTOR	>0.95				LIGHTNII	NG PROJECT DE	VICE AND HI	GH BRIGHTNESS LE	ED CHIPS		
	INPUT VOLTAGE	105-305 VAC						ΓΟCONTROLL	LER (PHOTO CELL			
	OUTPUT VOLTAGE	48VDC				CONTROL	<u>LLER)</u>					
	OUTPUT CURRENT	5.0 A				RATED V	OLTAGE RANG	E: 110-277 VAC				
	CCT	2700-6500K					APPLICABLE VOLTAGE 105-305 VAC					
	COLOR RENDERING	Ra>80				RANGE:		105-305	103-303 VAC			
	LED CHIP	BridgetLux Chip/LUMILEDS/OSRAM/BRIDGELUX			RATED FI	REQUENCY		50/60Hz 1000W TUNGSTEN, 1800VA BALLAST				
	LED DRIVER BRAND		LED CHIPS Inventions, Meanwell Driver ELG series					,				
	HOUSING COLOR	Black	TIVEL LLG SC	21103		POWER CONSUMPTION: 1.5A (3)			A (3VA FOR-HP)			
	LIGHT DISTRIBUTION	AZM111 (Type 1 media)			ON/OFF LEVEL 6L X		6L X Of	6L X ON/50LX OFF			
		` • •	1111)			AMBIENT	MBIENT TEMPERATURE: -40 - + 70					
	IP RATE HOUSING MATERIAL	IP 65 Excellent Aluminum+ F	C LENS			RELATED	ELATED HUMIDITY 99%					
	WORK TEMPERATURE	- 30 deg. C-+50 deg. C				OVERALL SIZE 84 (DIA.) X 66MM) X 66MM				
	LIFE SPAN	5000 HOURS				WEIGHT A	HT APPROX. 85 GMS					
	WARRANTY	7 YEARS			10KV LIGHTNING PROTECTION DEVICE (SURGE PROTECTIVE							
	Part No. BST-STL- 250W-A			DEVICES FOR LED POWER SUPPLY SYSTEM)								
	L=618MM; W= 263MM: E= 71mm											
	LENGTH	618 MM										
	WIDTH	263MM										
	HEIGHT 71MM rpose: To be used in the Office of the City Engineer, this city.											

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of: _	
Date:	

PRICE SCHEDULE FOR GOODS

_ Solicitation No.: **Goods 21-0105-0004** Page 2 of 3

1	2		3	4		5	6	7	8	9	10
Item	Description		Country of origin	Quan	ntity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
	RATED VOLTAGE:	110-277 VAC				MOUNTIN	IG ON:	CUSTO	M		
	MAX. CONTINOUS VOLTAGE:	UC 390 VAC				ENCLOSU	RE MATERIAL:	ABS765	A (94V O)		
	NOMINAL DISCHARGE:	Vn 10KV				SIZE:		81 X 37.	6 X 13.5MM		
	MAX. DISCHARGE VOLTAGE:	Vmax 20KV				TEST STA		IEC 616	43- 11:2011/EN61643	-11:2011	
	VOLTAGE PROTECTION LEVEL:	Up 1.1 KV				PROTECT	ION GRADE:	IP 67			
	RESPONSE TIME:	1A 25ns				WEIGHT:		57g			
	CROSS SECTION AREA:	1.5MM^2 FLEXIBLE									
	OPERATING TEMP. RANGE:	T- 40 deg C-+80 deg. C									
2.	LED STREET LIGHT Estimated Cost: P8,901,750.00			249	Units						
	INPUT	90-305V	<u> </u>		L	BEAN AN	GLE	70*1:	50		
	INPUT POWER	300W				IP RATING	3	IP66			
	LED CHIPS	BRIDGELUX				LIFE SPAN	N	50000)h		
	DRIVER	INVENTRONICCS	EUP			HOUSING		alumi	num + PC lens		
	LIGHT EFFICIENCY	150-170lm/w				10KV LIG	HT PROTECTIV	E DEVICE 20K	V		
	CRI	>80Ra, PF>0.95				WARRAN	TY	5 year	rs		
	5* LED MODULES	made by 5050SMD				INPUT		90-30	05V		
	COLOR TEMPERATURE	3000K									
Purpose:	To be used in the Office of the City Engine	eer, this city.									

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of: _	
nate:	

Name of Bidder _____

PRICE SCHEDULE FOR GOODS

Name of Bidder ______ Solicitation No.: **Goods 21-0105-0004** Page 3 of 3

1	2		3	4	5	6	7	8	9	10
Item	Description		Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
	BEST QUALITY: USE GRADE A LIGHTNING PROTECT DEVICE A MICROPROCESSOR PHOTOCON CONTROLLER) RATED VOLTAGE RANGE: APPLICABLE VOLTAGE RANGE: RATED FREQUENCY RATED LOADING POWER CONSUMPTION ON/OFF LEVEL AMBIENT TEMPERATURE RELATED HUMIDITY OVERALL SIZE WEIGHT APPROX. 10KV LIGHTNING PROTECTION DEVICES FOR LED POWER SUP	AND HIGH BRIGHTN TROLLER (PHOTO C 110-277 VAC 105-305 VAC 50/60Hz 1000W TUNGSTEN BALLAST 1.5A (3VA FOR-HP 6L X ON/50LX OF -40 -+ 70 99% 84 (DIA) X 66MM 85GMS DEVICE (SURGE PR PLY SYSTEM)	ESS LED CH ELL I, 1800VA		NOMINAI MAX. DIS VOLTAGI LEVEL: RESPONS CROSS SE OPERATI MOUNTIN ENCLOSU SIZE: TEST STA	TINOUS VOLTA DISCHARGE: CHARGE VOLTE PROTECTION E TIME CTION AREA: NG TEMP. RANG	AGE: UC 3 Vn 10 AGE: Vmax Up 1. 1A 25 1.5M GE T-40 CUS ABS 81 X IEC 6	C 20KV 1 KV 5ns M^2 FLEXIBLE deg C-+80 deg. C FOM 765A (94V O) 37.6 X 13.5MM 51643- 11:2011/EN616	543-11:2011	
Purpose	To be used in the Office of the City Engineer	, triis city.								

Name: ______
Legal Capacity: _____
Signature: _____
Duly authorized to sign the Bid for and behalf of: ______

SCHEDULE OF REQUIREMENTS

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description		Qua	untity	Total	Delivered, Days/Weeks/Months
1.	LED STREET LIGHT		100	Units		
	Estimated Cost: P3,075,000.00 POWER	250W				
	LUMINOUS FLUX	3000-32500LM				
	POWER FACTOR	>0.95				
	INPUT VOLTAGE	105-305 VAC				
	OUTPUT VOLTAGE OUTPUT CURRENT	48VDC 5.0 A				
	CCT	2700-6500K				
	COLOR RENDERING	Ra>80				
	LED CHIP	BridgetLux Chip/LUMILEDS/C LED CHIPS	OSRAM/BRI	DGELUX		
	LED DRIVER BRAND	Inventions, Meanwe	ell Driver EL	G series		
	HOUSING COLOR	Black				
	LIGHT DISTRIBUTION	AZM111 (Type 1 m	nedium)			
	IP RATE	IP 65				
	HOUSING MATERIAL	Excellent Aluminur	n+ PC LENS			
	WORK TEMPERATURE	- 30 deg. C-+50 deg	g. C			
	LIFE SPAN	5000 HOURS				
	WARRANTY	7 YEARS				
	Part No. BST-STL- 250W-A L=618MM; W= 263MM: E= 71n LENGTH	nm 618 MM				
	WIDTH	263MM				
	HEIGHT	71MM				
	BEST QUALITY: USE GRADE LIGHTNING PROJECT DEVICE					
	MICROPROCESSOR PHOTOCO CONTROLLER)	ONTROLLER (PHOT	O CELL			
	RATED VOLTAGE RANGE:	110-277 VAC				
	APPLICABLE VOLTAGE RANGE:	105-305 VAC				
	RATED FREQUENCY	50/60Hz				
	RATED LOADING	1000W TUNGSTE	N, 1800VA E	ALLAST		
	POWER CONSUMPTION:	1.5A (3VA FOR-H	P)			
	ON/OFF LEVEL	6L X ON/50LX OF	F			
	AMBIENT TEMPERATURE:	-40 - + 70				
	RELATED HUMIDITY	99%				
	OVERALL SIZE	84 (DIA.) X 66MM				
	WEIGHT APPROX.	85 GMS				
	10KV LIGHTNING PROTECTION DEVICES FOR LED POWER ST	ON DEVICE (SURGE	PROTECTI	<u>VE</u>		
	RATED VOLTAGE:	110-277 VAC				
	MAX. CONTINOUS VOLTAGE:	UC 390 VAC				
	NOMINAL DISCHARGE:	Vn 10KV				
	MAX. DISCHARGE VOLTAGE:	Vmax 20KV				
	VOLTAGE PROTECTION LEVEL:	Up 1.1 KV				
	RESPONSE TIME:	1A 25ns				
	CROSS SECTION AREA:	1.5MM^2 FLEXIB	LE			

OPERATING TEMP. RANGE: T- 40 deg C-+80 deg. C MOUNTING ON: **CUSTOM**

ENCLOSURE MATERIAL: ABS765A (94V O)

SIZE: 81 X 37.6 X 13.5MM

TEST STANDARDS: IEC 61643-11:2011/EN61643-11:2011

OUTER CASING

IP 67 PROTECTION GRADE:

WEIGHT: 57g

LED STREET LIGHT 2. 249 Units Estimated Cost: P8,901,750.00

INPUT 90-305V **INPUT POWER** 300W

LED CHIPS **BRIDGELUX**

DRIVER INVENTRONICCS EUP

LIGHT EFFICIENCY 150-170lm/w **CRI** >80Ra, PF>0.95 5* LED MODULES made by 5050SMD

COLOR TEMPERATURE 3000K **BEAN ANGLE** 70*150 **IP RATING IP66** LIFE SPAN 50000h

aluminum + PC lens HOUSING

10KV LIGHT PROTECTIVE DEVICE 20KV WARRANTY 5 years **INPUT** 90-305V

BEST QUALITY: USE GRADE A LAMP HOUSING AND DRIVER, 10KV LIGHTNING PROTECT DEVICE AND HIGH BRIGHTNESS LED CHIPS

MICROPROCESSOR PHOTOCONTROLLER (PHOTO CELL

CONTROLLER)

RATED VOLTAGE RANGE: 110-277 VAC APPLICABLE VOLTAGE 105-305 VAC RANGE:

RATED FREQUENCY 50/60Hz

1000W TUNGSTEN, 1800VA **RATED LOADING**

BALLAST

POWER CONSUMPTION 1.5A (3VA FOR-HP) ON/OFF LEVEL 6L X ON/50LX OFF

AMBIENT TEMPERATURE -40 -+ 70 RELATED HUMIDITY 99%

OVERALL SIZE 84 (DIA) X 66MM

WEIGHT APPROX. **85GMS**

10KV LIGHTNING PROTECTION DEVICE (SURGE PROTECTIVE

DEVICES FOR LED POWER SUPPLY SYSTEM)

RATED VOLTAGE 110-277 VAC MAX CONTINOUS VOLTAGE: **UC 390 VAC** NOMINAL DISCHARGE: Vn 10KV MAX. DISCHARGE VOLTAGE: Vmax 20KV **VOLTAGE PROTECTION** Up 1.1 KV LEVEL:

RESPONSE TIME 1A 25ns

CROSS SECTION AREA: 1.5MM² FLEXIBLE OPERATING TEMP. RANGE T-40 deg C-+80 deg. C

MOUNTING ON: **CUSTOM ENCLOSURE MATERIAL:** ABS765A (94V O) SIZE: 81 X 37.6 X 13.5MM

TEST STANDARDS: IEC 61643-11:2011/EN61643-11:2011

OUTER CASING PROTECTION

IP 67 **GRADE:** WEIGHT: 57g

TECHNICAL SPECIFICATIONS

Item	Specification	n	BRAND NAME	Statement of Compliance Statement of Compliance Statement of Compliance [Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
1.	LED STREET LIGHT Estimated Cost: P3,075,000.00			
	POWER	250W		
	LUMINOUS FLUX POWER FACTOR INPUT VOLTAGE OUTPUT VOLTAGE OUTPUT CURRENT CCT COLOR RENDERING LED CHIP LED DRIVER BRAND HOUSING COLOR LIGHT DISTRIBUTION IP RATE HOUSING MATERIAL WORK TEMPERATURE LIFE SPAN WARRANTY Part No. BST-STL- 250W-A	3000-32500LM >0.95 105-305 VAC 48VDC 5.0 A 2700-6500K Ra>80 BridgetLux Chip/LUMILED LED CHIPS Inventions, Mean Black AZM111 (Type IP 65 Excellent Aluminary of the second	num+ PC LENS	
	L=618MM; W= 263MM: E= 71n			
	LENGTH WIDTH	618 MM 263MM		
	HEIGHT	71MM		
	BEST QUALITY: USE GRADE LIGHTNING PROJECT DEVICE	A LAMP HOUSIN		
	MICROPROCESSOR PHOTOCO CONTROLLER)	ONTROLLER (PH	OTO CELL	
	RATED VOLTAGE RANGE:	110-277 VAC		
	APPLICABLE VOLTAGE RANGE:	105-305 VAC		
	RATED FREQUENCY	50/60Hz		
	RATED LOADING	1000W TUNGS	TEN, 1800VA BALLAST	
	POWER CONSUMPTION:	1.5A (3VA FOR	-HP)	
	ON/OFF LEVEL	6L X ON/50LX	OFF	
	AMBIENT TEMPERATURE:	-40 - + 70		

RELATED HUMIDITY 99%

OVERALL SIZE 84 (DIA.) X 66MM

WEIGHT APPROX. 85 GMS

10KV LIGHTNING PROTECTION DEVICE (SURGE PROTECTIVE

DEVICES FOR LED POWER SUPPLY SYSTEM)

RATED VOLTAGE: 110-277 VAC

MAX. CONTINOUS

VOLTAGE: UC 390 VAC

NOMINAL DISCHARGE: Vn 10KV

MAX. DISCHARGE VOLTAGE:

Vmax 20KV

VOLTAGE PROTECTION

LEVEL: Up 1.1 KV

RESPONSE TIME: 1A 25ns

CROSS SECTION AREA: 1.5MM^2 FLEXIBLE

OPERATING TEMP. RANGE: T- 40 deg C-+80 deg. C

MOUNTING ON: CUSTOM

ENCLOSURE MATERIAL: ABS765A (94V O)

SIZE: 81 X 37.6 X 13.5MM

TEST STANDARDS: IEC 61643-11:2011/EN61643-11:2011

OUTER CASING

PROTECTION GRADE: IP 67

WEIGHT: 57g

2. **LED STREET LIGHT**

Estimated Cost: P8,901,750.00

INPUT 90-305V INPUT POWER 300W

LED CHIPS BRIDGELUX

DRIVER INVENTRONICCS EUP

LIGHT EFFICIENCY 150-170lm/w
CRI >80Ra, PF>0.95
5* LED MODULES made by 5050SMD

COLOR TEMPERATURE 3000K
BEAN ANGLE 70*150
IP RATING IP66
LIFE SPAN 50000h

HOUSING aluminum + PC lens

10KV LIGHT PROTECTIVE DEVICE 20KV WARRANTY 5 years INPUT 90-305V

BEST QUALITY: USE GRADE A LAMP HOUSING AND DRIVER, $10\mathrm{KV}$ LIGHTNING PROTECT DEVICE AND HIGH BRIGHTNESS LED CHIPS

MICROPROCESSOR PHOTOCONTROLLER (PHOTO CELL

CONTROLLER)

RATED VOLTAGE RANGE: 110-277 VAC APPLICABLE VOLTAGE RANGE: 105-305 VAC

RATED FREQUENCY 50/60Hz

RATED LOADING 1000W TUNGSTEN, 1800VA

BALLAST

POWER CONSUMPTION 1.5A (3VA FOR-HP) ON/OFF LEVEL 6L X ON/50LX OFF

AMBIENT TEMPERATURE -40 -+ 70 RELATED HUMIDITY 99%

OVERALL SIZE 84 (DIA) X 66MM

WEIGHT APPROX. 85GMS

10KV LIGHTNING PROTECTION DEVICE (SURGE PROTECTIVE

DEVICES FOR LED POWER SUPPLY SYSTEM)

RATED VOLTAGE 110-277 VAC **UC 390 VAC** MAX CONTINOUS VOLTAGE: NOMINAL DISCHARGE: Vn 10KV MAX. DISCHARGE VOLTAGE: Vmax 20KV VOLTAGE PROTECTION Up 1.1 KV

RESPONSE TIME 1A 25ns

CROSS SECTION AREA: 1.5MM^2 FLEXIBLE OPERATING TEMP. RANGE T-40 deg C-+80 deg. C

MOUNTING ON: **CUSTOM**

ENCLOSURE MATERIAL: ABS765A (94V O) SIZE: 81 X 37.6 X 13.5MM

TEST STANDARDS: IEC 61643-11:2011/EN61643-11:2011

OUTER CASING PROTECTION

IP 67 GRADE: WEIGHT: 57g

Signature over Printed Name

LEVEL:

SCHEDULE OF WARRANTY

This serves as warranty for **Power Supply System** in the City Government of Zamboanga.

ITEM NO.	DESCRIPTION		Ql	JANTITY	WARRANTY
1.	LED STREET LIGHT		100	Units	
	Estimated Cost: P3,075,000.00 POWER	250W			
	LUMINOUS FLUX	3000-32500L	M		
	POWER FACTOR	>0.95			
	INPUT VOLTAGE	105-305 VAC	C		
	OUTPUT VOLTAGE	48VDC			
	OUTPUT CURRENT CCT	5.0 A 2700-6500K			
	COLOR RENDERING	Ra>80			
		BridgetLux			
	LED CHIP	Chip/LUMIL LED CHIPS	EDS/OSRAM	I/BRIDGELUX	
	LED DRIVER BRAND		Ieanwell Driv	er ELG series	
	HOUSING COLOR	Black			
	LIGHT DISTRIBUTION	AZM111 (Ty	pe 1 medium)	1	
	IP RATE	IP 65	,		
	HOUSING MATERIAL	Excellent Alu	ıminum+ PC I	LENS	
	WORK TEMPERATURE	- 30 deg. C-	-50 deg. C		
	LIFE SPAN	5000 HOURS	S		
	WARRANTY	7 YEARS			
	Part No. BST-STL- 250W-A				
	L=618MM; W= 263MM: E= 71n LENGTH	nm 618 MM			
	WIDTH	263MM			
	HEIGHT	71MM			
				DIVED 10KH	
	BEST QUALITY: USE GRADE LIGHTNING PROJECT DEVICE				
	MICROPROCESSOR PHOTOCO CONTROLLER)	ONTROLLER (PHOTO CEL	<u>L</u>	
	RATED VOLTAGE RANGE:	110-277 VAC	C		
	APPLICABLE VOLTAGE RANGE:	105-305 VAC	C		
	RATED FREQUENCY	50/60Hz			
	RATED LOADING	1000W TUN	GSTEN, 1800	VA BALLAST	
	POWER CONSUMPTION:	1.5A (3VA F	OR-HP)		
	ON/OFF LEVEL	6L X ON/50I	X OFF		
	AMBIENT TEMPERATURE:	-40 - + 70			
	RELATED HUMIDITY	99%			
	OVERALL SIZE	84 (DIA.) X	56MM		
	WEIGHT APPROX.	85 GMS			
	10KV LIGHTNING PROTECTION DEVICES FOR LED POWER SU			<u>ECTIVE</u>	
	RATED VOLTAGE:	110-277 VAC	C		
	MAX. CONTINOUS VOLTAGE:	UC 390 VAC			
	NOMINAL DISCHARGE:	Vn 10KV			
	MAX. DISCHARGE VOLTAGE:	Vmax 20KV			
	VOLTAGE PROTECTION LEVEL:	Up 1.1 KV			
	RESPONSE TIME:	1A 25ns			
	CROSS SECTION AREA:	1.5MM^2 FL	EXIBLE		
	OPERATING TEMP. RANGE:	T- 40 deg C			
	OF EXATING TEMP. KANGE:	1 - 40 deg C	rou ueg. C		

MOUNTING ON: **CUSTOM ENCLOSURE MATERIAL:** ABS765A (94V O) SIZE: 81 X 37.6 X 13.5MM **TEST STANDARDS:** IEC 61643-11:2011/EN61643-11:2011 **OUTER CASING** IP 67 PROTECTION GRADE: WEIGHT: 57g LED STREET LIGHT 249 Units 2. **Estimated Cost: P8,901,750.00 INPUT** 90-305V **INPUT POWER** 300W LED CHIPS **BRIDGELUX** DRIVER **INVENTRONICCS EUP** LIGHT EFFICIENCY 150-170lm/w CRI >80Ra, PF>0.95 5* LED MODULES made by 5050SMD **COLOR TEMPERATURE** 3000K **BEAN ANGLE** 70*150 IP RATING IP66 LIFE SPAN 50000h **HOUSING** aluminum + PC lens 10KV LIGHT PROTECTIVE DEVICE 20KV WARRANTY 5 years **INPUT** 90-305V BEST QUALITY: USE GRADE A LAMP HOUSING AND DRIVER, 10KV LIGHTNING PROTECT DEVICE AND HIGH BRIGHTNESS LED CHIPS MICROPROCESSOR PHOTOCONTROLLER (PHOTO CELL CONTROLLER) RATED VOLTAGE RANGE: 110-277 VAC APPLICABLE VOLTAGE 105-305 VAC RANGE: RATED FREQUENCY 50/60Hz 1000W TUNGSTEN, 1800VA RATED LOADING **BALLAST** POWER CONSUMPTION 1.5A (3VA FOR-HP) ON/OFF LEVEL 6L X ON/50LX OFF AMBIENT TEMPERATURE -40 -+ 70 RELATED HUMIDITY 99% **OVERALL SIZE** 84 (DIA) X 66MM WEIGHT APPROX. 85GMS 10KV LIGHTNING PROTECTION DEVICE (SURGE PROTECTIVE DEVICES FOR LED POWER SUPPLY SYSTEM) RATED VOLTAGE 110-277 VAC MAX CONTINOUS VOLTAGE: **UC 390 VAC** NOMINAL DISCHARGE: Vn 10KV MAX. DISCHARGE VOLTAGE: Vmax 20KV **VOLTAGE PROTECTION** Up 1.1 KV LEVEL: RESPONSE TIME 1A 25ns 1.5MM^2 FLEXIBLE CROSS SECTION AREA: OPERATING TEMP. RANGE T-40 deg C-+80 deg. C MOUNTING ON: **CUSTOM ENCLOSURE MATERIAL:** ABS765A (94V O) 81 X 37.6 X 13.5MM SIZE: TEST STANDARDS: IEC 61643-11:2011/EN61643-11:2011 **OUTER CASING PROTECTION** IP 67 **GRADE:** WEIGHT:

57g

Bid Data Sheet

ITB Clause	
5.3	For this purpose, contracts similar to the project shall be:
	 a. <u>Power Supply System</u>: 100 units LED Street Light and 249 units LED Street Light b. Completed within ten (10) years prior to the deadline for the submission and receipt of bids.
7.1	"Subcontracting is not allowed."
12	The price of the Goods shall be quoted delivered duty paid (DDP) at CGSO, Tetuan, Zamboanga City for this project.
14.1	The Bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than P239,535.00; if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <u>P598,837.50</u> ; if bid security is in Surety Bond.
19.3	[In case the Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]
	[In case the project will be awarded by item, list each item indicating its quantity and ABC.]
20.2	[List here any licenses and permits relevant to the Project and the corresponding law requiring it.]
21.2	[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]

Special Conditions of Contract

GCC Clause [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] **Delivery and Documents -**For purposes of the Contract, "EXW," "FOB," "FCA," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS." [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered CGSO, Tetuan, Zamboanga City. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)]. Incidental Services -The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services. Spare Parts -The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier: Select appropriate requirements and delete the rest. a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and b. in the event of termination of production of the spare parts: i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested. The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price. The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of Three (3) Months. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

Contract Description

Final Destination

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights -

4

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

2.2 [If partial payment is allowed, state] "The terms of payment shall be as follows: ______."

The inspections and tests that will be conducted are: Quality Inspection by Accounting, COA, CGSO and End User.


REPUBLIC OF THE PHILIPPINES)
CITY OF) S.S

BID SECURING DECLARATION

Invitation to Bid No.: [Insert reference number]

To: City Government of Zamboanga,
BIDS AND AWARDS COMMITTEE
Villalobos Street,
Zamboanga City





- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I are we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and;
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

N WINESS WHEREOF, I/We have hereunto set my/our hand/s this ___ day of [month][year] at [place of execution].

[Insert NAME OF BIDDER OR ITS
AUTHORIZED REPRESENTATIVE
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]