CITY GOVERNMENT OF ZAMBOANGA

Bids and Awards Committee Villalobos St., Zamboanga City

Purchase Request No.: 100-21-12-1928/December 6, 2021

Office of the: CITY AGRI

Amount: **P725,000.00**

SF-GOOD-60

REQUEST FOR QUOTATION (53.9 "Small Value Procurement")

Alfo Marketing JMW Marketing **Asia Multi-Sales Marketing**

> Date: March 22, 2022 Quotation No.: 0136

Place of Delivery: City General Services Office

Please quote your lowest price on the items listed below, subject to the General Conditions on the Philippine Bidding Documents on Goods, stating the shortest time of delivery and submit your quotation duly signed by your representative on or before March 30, 2022 at 10:00 a.m.

ERWIN E. BERNARDO

BAC-Chairperson

Note: ALL ENTRIES MUST BE TYPEWRITTEN / LEGIBLY WRITTEN.

- DELIVERY PERIOD MINIMUM OF THIRTY (30) DAYS
- WARRANTY SHALL BE FOR A PERIOD OF THREE (3) MONTHS FOR EXPENDABLE SUPPLIES, ONE (1) YEAR FOR NON-EXPENDABLE SUPPLIES, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
- 3. PRICE VALIDITY SHALL BE FOR A PERIOD OF THIRTY (30) CALENDAR DAYS.
- G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION, IF AVAILABLE. 4.
- BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.
- INDICATE BRAND NAME OF ITEMS BEING OFFERED. 6.
- DROP YOUR QUOTATION IN A SEALED ENVELOPE AND PROPERLY LABELED-
- Bidders are requested to submit PHILGEPS REGISTRATION NUMBER/ PHILGEPS PLATINUM CERTIFICATE, OMNIBUS SWORN STATEMENT, LATEST ITR AND BUSINESS/MAYOR'S PERMIT
- Downloaded Form must be duly signed by BAC Chairman prior to submission for the opening of bidding documents.
- 10. For Tires and Batteries, ONE (1) YEAR WARRANTY
- 11. Bidders are required to indicate unit price per item, type written or legibly hand-written.

ITEM NO.	ITEM & DESCRIPTION	BRAND NAME	QTY	Unit	UNIT PRICE	TOTAL
1.	OTHER PROPERTY, PLANT AND EQUIPMENT		1			
	SCUBA AIR COMPRESSOR					
	Specifications:					
	Electro motor (E-motor/400V/3 Phase/50Hz)					
	Start/Stop Switch					
	Manual condesate drain					
	1x filling hose c/w filling valve					
	Pressure maintaining and non return valve					
	All pristons c/w steel piston rings					
	Oil/Water separators in stainless after 2nd and 3rd stage					
	Safety valves after each stage					
	Filling pressure to your choice (200 or 300 bar)					
	Connections to your choice (DIN 200 bar or 300 bar,					
	CGA 200 bar or 300 bar and INT)					
	Breathing air purification an accordance to EN 12021					
	RPM 1/min: 2300					
	Weight: 43kg					
	Dimension WXDXH (mm): 670x400x400					
	Capacity (Liter/min): 100/6/3.5					
	Max Pressure(Bar): 330					
	No. of Cylinder/No. of stages: 3/3					
	Filter Capacity (m3 at +20 C): 108 (at +20 C/approx.					
	18h)					
	Oil Capacity (liter): 0.5					
	Operating Temperature (C): +5C to 45C Noise Level (measured at 1 meter)(dB): 82					
	In accordance with EN 12021					
	Estimated Cost: P350,000.00					
2.	SCUBA DIVING GEAR WITH COMPLETE		2		<u> </u>	
	ACCESSORIES					
	Specifications:					
	Dive Regulator					
	TECHNICAL FEATURES 1ST STAGE					
	Piston design					

1 7/16" HP ports UNF

4 3/8" LP ports UNF

Operating pressure:

INT version: 230 bar/ 3,336 psi

Calibration pressure: 9.8/10 bars / 142/146 psi

Brass body Electroless Nickel Plated

High capacity conical filter

Dive Regulator

Electroless nickel plated

Long lasting piston: AISI 316 stainless steel

Extremely easy in maintenance since IP in adjustable

from the outside Stainless still spring

Flow rate: 74.16 cu ft/min (2,1001/min) Yoke version weight: 22.4 oz/635g TECHNICAL FEATURES 2ND STAGE

Downstream system Adjustable venture effect Patented antifriction lever

Big purge button Anti scratch surface

Bayonet-type cap holder with security lock

Removable exhaust tee Weight without hose: 135 gr

COMBINATION PERFORMANCE

Average Cracking effort 6mbar Average breathing effort 1 J/1

Jackered hose extremely light and flexible weight: 153gr

Certification en 250/2000

BCD

Air Bladder

Condura 1000 deniers on the outside

500 deniers on the inside

Large handle zippers and velcro

Chest strap

Extra ordinary size/buoyancy

XS 13.3kg S 14.3kg M 15.3kg L 17.3kg XL 20.4kg

WETSUIT

3mm neoprene

YKK zipper with an aquastop flap Nylon lining mixed with ultraspan Velcro dolsar zipper closure

DIVING GLOVES

Five fingered gloves 2mm thick neoprene

BOOTIES

Boots 5mm

made from soft, double-lined neoprene zip from the sole to the ankle

FLIPPERS

Strong polypropylene blade material Elastromer rubber foot pocket Quality rubber straps

HOODS

Hood with discreet valve system, 5mm flexible neoprene

DIVING KNIVES GEAR BAG

MASK

Frameless masks

Single lens design

Silicone skirt bonds

Fast adjust ratcheting strap buckles mounted to skirt

Single tempered glass lens Easy access nose pocket

	SNORKEL Unique splash guard at the end Large elliptic valve Mouthpiece and corrugated piece in hypoallergenic silicone SQUACKER								
	Estimated Cost: P300,000.00								
3.	SCUBA TANK Specifications: Scuba tank, AL 63cuft Tank, Brushed, with DIN valve Capacity: 63 cubic feet/ 1784.2 liters Measures 21.9" (55.6cm) tall, with a 7.3" (18.54cm) diameter Weighs 26.9 lbs. (12.2kg) is negative 2.4 lbs (1.1kg) When full in salt water and is positively buoyant 2.4 lbs. (1.1kg)		5						
	TANK BOOT TANK VALVE DUST COVER								
Downson	UNDERWATER/WATERPROOF FLASH LIGHT Underwater Flashlight-SL4eLED Dimensions: (L W H in/cm): 6.20 x 1.70 x 2.50 in/ 15.75 x 4.32 x 6.35cm Battery Type: 4C Alkaline/LR14 Disposable Lamp Type: eLED Lumens: 400 BurnTime: 10 hr Weight: 15.2 oz/426 g Depth Rating: 500.00 ft/ 152m Estimated Cost: P75,000.00								
Purpose:	for official use in the Office of the City Agriculturist, this	city							
Brand and Model Warranty: Price Validity: After having carefully read and accepted your General Conditions, I/We quote you on the item at prices noted above.									
	Printed Name / Signature								
	Tel. No. / Cellphone No. e-mail address								
	 Date								