

SF-GOOD-60

**REQUEST FOR QUOTATION  
 (53.9 "Small Value Procurement")**

**Alfo Marketing**  
**JMW Marketing**  
**Asia Multi-Sales Marketing**

Date: April 12, 2022  
 Quotation No.: 0136R  
 Place of Delivery: City General Services Office

Please quote your lowest price on the items listed below, subject to the General Conditions on the Philippine Bidding Documents on Goods, stating the shortest time of delivery and submit your quotation duly signed by your representative **on or before April 22, 2022 at 10:00 a.m.**

**ERWIN E. BERNARDO**  
*BAC-Chairperson*

**Note: ALL ENTRIES MUST BE TYPEWRITTEN / LEGIBLY WRITTEN.**

1. DELIVERY PERIOD **MINIMUM OF THIRTY (30) DAYS**
2. WARRANTY SHALL BE FOR A PERIOD OF THREE (3) MONTHS FOR EXPENDABLE SUPPLIES, ONE (1) YEAR FOR NON-EXPENDABLE SUPPLIES, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
3. PRICE VALIDITY SHALL BE FOR A PERIOD OF THIRTY (30) CALENDAR DAYS.
4. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION, IF AVAILABLE.
5. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.
6. **INDICATE BRAND NAME OF ITEMS BEING OFFERED.**
7. **DROP YOUR QUOTATION IN A SEALED ENVELOPE AND PROPERLY LABELED-**
8. **Bidders are requested to submit PHILGEPS REGISTRATION NUMBER/ PHILGEPS PLATINUM CERTIFICATE, OMNIBUS SWORN STATEMENT, LATEST ITR AND BUSINESS/MAYOR'S PERMIT**
9. **Downloaded Form must be duly signed by BAC Chairman prior to submission for the opening of bidding documents.**
10. **For Tires and Batteries, ONE (1) YEAR WARRANTY**
11. **Bidders are required to indicate unit price per item, type written or legibly hand-written.**

ITEM NO.	ITEM & DESCRIPTION	BRAND NAME	QTY	Unit	UNIT PRICE	TOTAL
1.	<b>OTHER PROPERTY, PLANT AND EQUIPMENT</b> <b>SCUBA AIR COMPRESSOR</b> <i>Specifications:</i> Electro motor (E-motor/400V/3 Phase/50Hz) Start/Stop Switch Manual condensate drain 1x filling hose c/w filling valve Pressure maintaining and non return valve All pistons c/w steel piston rings Oil/Water separators in stainless after 2nd and 3rd stage Safety valves after each stage Filling pressure to your choice (200 or 300 bar) Connections to your choice (DIN 200 bar or 300 bar, CGA 200 bar or 300 bar and INT) Breathing air purification an accordance to EN 12021 RPM 1/min: 2300 Weight: 43kg Dimension WDXH (mm): 670x400x400 Capacity (Liter/min): 100/6/3.5 Max Pressure(Bar): 330 No. of Cylinder/No. of stages: 3/3 Filter Capacity (m3 at +20 C): 108 (at +20 C/approx. 18h) Oil Capacity (liter): 0.5 Operating Temperature (C): +5C to 45C Noise Level (measured at 1 meter)(dB): 82 In accordance with EN 12021 <b>Estimated Cost: P350,000.00</b>		1			
2.	<b>SCUBA DIVING GEAR WITH COMPLETE ACCESSORIES</b> <i>Specifications:</i> Dive Regulator <b>TECHNICAL FEATURES 1ST STAGE</b> Piston design		2			

1 7/16" HP ports UNF  
 4 3/8" LP ports UNF  
 Operating pressure:  
 INT version: 230 bar/ 3,336 psi  
 Calibration pressure:  
 9.8/10 bars / 142/146 psi  
 Brass body Electroless Nickel Plated  
 High capacity conical filter  
 Dive Regulator  
**Electroless nickel plated**  
 Long lasting piston: AISI 316 stainless steel  
 Extremely easy in maintenance since IP in adjustable  
 from the outside  
 Stainless still spring  
 Flow rate: 74.16 cu ft/min (2,1001/min)  
 Yoke version weight: 22.4 oz/635g  
**TECHNICAL FEATURES 2ND STAGE**  
 Downstream system  
 Adjustable venturi effect  
 Patented antifriction lever  
 Big purge button  
 Anti scratch surface  
 Bayonet-type cap holder with security lock  
 Removable exhaust tee  
 Weight without hose: 135 gr  
**COMBINATION PERFORMANCE**  
 Average Cracking effort 6mbar  
 Average breathing effort 1 J/1  
 Jackered hose extremely light and flexible weight: 153gr  
 Certification en 250/2000

**BCD**  
 Air Bladder  
 Condura 1000 deniers on the outside  
 500 deniers on the inside  
 Large handle zippers and velcro  
 Chest strap  
 Extra ordinary size/buoyancy  
 XS 13.3kg S 14.3kg M 15.3kg L 17.3kg XL 20.4kg

**WETSUIT**  
 3mm neoprene  
 YKK zipper with an aquastop flap  
 Nylon lining mixed with ultraspan  
 Velcro dolsar zipper closure

**DIVING GLOVES**  
 Five fingered gloves 2mm thick neoprene

**BOOTIES**  
 Boots 5mm  
 made from soft, double-lined neoprene  
 zip from the sole to the ankle

**FLIPPERS**  
 Strong polypropylene blade material  
 Elastomer rubber foot pocket  
 Quality rubber straps

**HOODS**  
 Hood with discreet valve system, 5mm flexible  
 neoprene

**DIVING KNIVES**  
**GEAR BAG**

**MASK**  
 Frameless masks  
 Single lens design  
 Silicone skirt bonds  
 Fast adjust ratcheting strap buckles mounted to skirt  
 Single tempered glass lens  
 Easy access nose pocket

	<b>SNORKEL</b> Unique splash guard at the end Large elliptic valve Mouthpiece and corrugated piece in hypoallergenic silicone  <b>SQUACKER</b> <b>Estimated Cost: P300,000.00</b>					
3.	<b>SCUBA TANK</b> <i>Specifications:</i> Scuba tank, AL 63cuft Tank, Brushed, with DIN valve Capacity: 63 cubic feet/ 1784.2 liters Measures 21.9" (55.6cm) tall, with a 7.3" (18.54cm) diameter Weighs 26.9 lbs. (12.2kg) is negative 2.4 lbs (1.1kg) When full in salt water and is positively buoyant 2.4 lbs. (1.1kg)  <b>TANK BOOT</b> <b>TANK VALVE DUST COVER</b>  <b>UNDERWATER/WATERPROOF FLASH LIGHT</b> Underwater Flashlight-SL4eLED Dimensions: (L W H in/cm): 6.20 x 1.70 x 2.50 in/ 15.75 x 4.32 x 6.35cm Battery Type: 4C Alkaline/LR14 Disposable Lamp Type: eLED Lumens: 400 BurnTime: 10 hr Weight: 15.2 oz/426 g Depth Rating: 500.00 ft/ 152m <b>Estimated Cost: P75,000.00</b>		5			
<b>Purpose:</b> for official use in the <b>Office of the City Agriculturist</b> , this city						

*Brand and Model* : \_\_\_\_\_  
*Delivery Period* : \_\_\_\_\_  
*Warranty* : \_\_\_\_\_  
*Price Validity* : \_\_\_\_\_

After having carefully read and accepted your General Conditions, I/We quote you on the item at prices noted above.

\_\_\_\_\_  
*Printed Name / Signature*

\_\_\_\_\_  
*Tel. No. / Cellphone No.*  
*e-mail address*

\_\_\_\_\_  
*Date*