

### INVITATION TO BID FOR

## **Medical Equipment**

(Name of Project

- 1. The CITY GOVERNMENT OF ZAMBOANGA, through the Trust Fund intends to apply the sum of ONE MILLION EIGHT HUNDRED FORTY THOUSAND PESOS (P1,840,000.00) ONLY being the Approved Budget for the Contract (ABC) to payments under the contract for Medical Equipment (PR No. Lot 1-300-22-09-2005; Lot 2-300-22-09-2004; Lot 3-300-22-09-2003). Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The CITY GOVERNMENT OF ZAMBOANGA now invites bids for the Lot 1-06 units Binocular Microscope; Lot 2-01 unit Ultra Low 20' C Freezer; Lot 3- 04 units Pipettor Gun. Delivery of the GOODS is required by Twenty (20) Calendar Days. Bidders should have completed within a period of ten (10) years from the date of submission and receipt of bids, a contract similar to the Project, with a value of at least (50%) of the ABC and to meet other eligibility requirements stated in the Eligibility Documents. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184.

  Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
- 4. Prospective Bidders may obtain further information from CITY GOVERNMENT OF ZAMBOANGA in the Office of the City Mayor-Procurement, Acquisition and Awards Division (CMO-PAAD) and inspect the Bidding Documents at the address given below during 8:00 AM to 5:00 PM.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on October 25, 2022 to November 14, 2022 from the given address and website/s below and upon payment of a non-refundable fee for the Bidding Documents, pursuant to the latest guidelines issued by the GPPB, in the amount of P1,840.00. The method of payment will be Cash payable to the City Treasurer's Office. The Bidding Documents shall be received personally by the Prospective Bidder or his/her authorized representative. The Procuring Entity shall allow the bidder to present its proof of payment for the fees "machine copy of the official receipt" not later than the submission of their bids.
- 6. The CITY GOVERNMENT OF ZAMBOANGA will hold a Pre-bid Conference on **November 02, 2022 at 10:00 AM** at Office of the City Mayor Procurement, Acquisition and Awards Division (CMO-PAAD), Conference Room, Villalobos St., Zamboanga City, which shall be open to prospective bidders.
- Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before November 14, 2022 at 10:00 AM. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a Bid Security in any of the acceptable forms and in the amount stated in ITB Clause 14.
  - All Bids must be accompanied by a Bid Security which shall be a **Bid Securing Declaration or** at least one other form of the following: cash, cashier's/manager's check, bank draft/guarantee confirmed by a Universal/Commercial Bank, Irrevocable Letter of Credit issued by a Universal/Commercial Bank or from other bank certified by the Bangko Sentral ng Pilipinas as authorized to issue such financial instrument, provided however that it shall be confirmed or authenticated by a Universal/Commercial Bank if issued by a foreign bank in the amount of **P36,800.00** or Surety Bond callable upon demand issued by a Surety or Insurance Company duly certified by the Insurance Commission as authorized to issue such security in the amount of **P92,000.00** or any combination of the foregoing in the amount proportionate to share of form with respect to total amount of security.

The Bid Security shall be denominated in Philippine Pesos and posted in favor of the Procuring Entity.

Bidders are required to indicate the BRAND NAME and/or NAME OF MANUFACTURER of GOODS offered/quoted, when appropriate.

- 9. Bid opening shall be on **November 14, 2022 at 10:00 AM** at Office of the City Mayor Procurement, Acquisition and Awards Division (CMO-PAAD), Conference Room, Villalobos St., Zamboanga City. Bids will be opened in the presence of the bidder's representatives who choose to attend the activity.
- 10. To be delivered in the Office of the City Health
- 11. The CITY GOVERNMENT OF ZAMBOANGA reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 35.6 and 41 of the 2016 revised Implementing Rules or Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. Bidders are advised to use the BID FORM at the back of this ITB. Failure to do so would lead to non-acceptance of the bid.
- **13.** For Further information please refer to:

**RONALD A. VICETE** 

BAC Secretariat
Office of the City Mayor - Procurement, Acquisition and Awards Division
Villalobos Street, Zamboanga City
zcbac.sec@gmail.com
Tel. No. (062) 992-7763

ATTY. ALEXANDER ERIC F. ELIAS

BAC Chairperson



# **BID FORM**

	NMENT OF ZAMBOANGA Street ZAMBOANGA CITY	
Numbers Goods	examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers including Bid Bulletin <a href="https://examined.ncbi.nlm.ncbi.nl&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Lot 2-300-22-09-2&lt;/td&gt;&lt;td&gt;(total Bid amount in words and figures)&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Lot 2-300-22-09-2&lt;/td&gt;&lt;td&gt;(total Bid amount in words and figures)&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;(total Bid amount in words and figures)&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Schedules attache&lt;/td&gt;&lt;td&gt;ated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price and herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the e.g. (i) value added tax (VAT), (ii) income tax' (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein ledules,&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;if our Bio&lt;/td&gt;&lt;td&gt;d is accepted, we undertake:&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;a.&lt;/td&gt;&lt;td&gt;To deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;b.&lt;/td&gt;&lt;td&gt;To provide a performance security in the form, amounts, and within the times prescribed in the PBDs;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;C.&lt;/td&gt;&lt;td&gt;To abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon as at any time before the expiration of that period.&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Commis&lt;/td&gt;&lt;td&gt;nis paragraph if Foreign-Assisted Project with the Development Partner: sions or gratuities, if any, paid, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are act, are listed below:&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Name and addres&lt;/td&gt;&lt;td&gt;s Amount and Purpose of agent Currency Commission or gratuity&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;(if none, state " no<="" td=""><td>ne")]</td></a>	ne")]
Until a f shall be binding up	ormal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, on us.	
We unde	erstand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.	
We certi	fy/confirm that we comply with the eligibility requirements pursuant to the PBDs.	
The und	ersigned is authorized to submit the bid on behalf of	
	(name of bidder) ne attached	

(state the written authority)

### PRICE SCHEDULE FOR GOODS

Name of Bidder \_\_\_\_\_\_ Solicitation No.: **Goods 22-1025-0135** Page 1 of 3

1	2	3	4		5	6	7	8	9	10
Item	Description	Country of origin	Quai	ntity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
LOT 1 ABC: P510	,000.00									
1. BINOCUL	AR MICROSCOPE		06	Units						
OPTICAL ILLUMINA Consumption FOCUSING adjusting lin (minimum a REVOLVI STAGE: W 76mm(X)x3 OBSERVA adjustment a OBJECTIV 4x NA 10x NA 40x NA 100xOil NA	aminum die-casting metal frame, Protect SYSTEM: Infinity optical system ATION SYSTEM: Built-in transmitted on 0.5 W (normal values)  G: Stage height movement(coarse movemit stopper, Torque adjustment for coardjustment gradations: 2.5µm)  NG NOSEPIECE: Fixed quadruple notice movement mechanical fixed stage, 30mm(Y), Specimen holder, Specimen TION TUBE: 30° inclined binocular trange: 48-75mm, Eyepoint adjustment: 7ES: Plan achromat, anti-fungus A: 0.10 W.D.: 27.8mm A: 0.25 W.D.: 8.0mm A: 0.65 W.D.: 0.6mm A: 1.25 W.D.: 0.13mm (CX23LEDRF (10X): Field Number (FN): 20 (anti-fut)	d illumination systement stroke: 15 rse adjustment knosepiece Traveling range: position scale ube Interpupillary 370.0-432.9mm	mm), coars ob, Fine fo	e	12, anti-fur FH) WEIGHT: RATED V POWER (	igus), Dedicated Approx. 5.9kg	wooden case,  CTRIC CUR N: Less than 2	mirror (CH20-MM) Eyepiece micromete  RENT: AC 100-240	er, Darkfield stop	(CH2-DS+CH2-

# PRICE SCHEDULE FOR GOODS

Name of Bidder \_\_\_\_\_\_ Solicitation No.: **Goods 22-1025-0135** Page 2 of 3

	2	3	4	1	5	6	7	8	9	10
m	Description	Country of origin	Qua	ntity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destinatior (Col.9) x (col 4)
	LOT2 ABC: P850,000.00									
	ULTRA LOW -20' C Freezer		01	Unit						
	Specifications: Type: -20'C to -25'C deep freezer Cabinet type: Upright Climate Class: 4 Cooling Type: Direct Cooling Defrost Mode: CFC-Free Noise Level (dB(A)): 34  Performance: Cooling Performance ('C): -25 Temperature Range ('C): -10 to -25 Control Controller: microprocessor Display: LED Electric Data: Power Supply (V/Hz): 220-240/50 Power(W): 90 Electrical Current: (A): 0.7 Functions: High/Low Temperature: Y Sensor Error: Y				Net/Gross Interior Dir Exterior Dir Packing Di Container I Others: Cer	/Cu.ft): 262/9.3 Weight(Approx) mensions (W*D* mension (W*D* mension (W*D* oad (20'/40'/40' rtificate CE and	: 88/93 (kg) 19 *H): 480*465* *H): 700*705* *H): 775*760* *H): 24/48/48 DOH Certifica	*1430(mm) 18.9*18. *1665(mm) *1880(mm) 30.5*29.	, ,	

Name:	 	
Legal Capacity:		
Signature:		
Duly authorized to sign the		
.,	 	

# PRICE SCHEDULE FOR GOODS

Name of Bidder

\_ Solicitation No.: **Goods 22-1025-0135** Page 3 of 3

ivame	me of Bidder Solicitation No.: <b>GOODS 22-1025-0135</b> Page 3 01 3									
1	2	3	4		5	6	7	8	9	10
Item	Description	Country of origin	Quai	ntity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
	LOT3									
	ABC: P480,000.00									
2.	PIPETTOR GUN		04	Units						
	Features:									
	<ul> <li>Fully autoclave</li> <li>Ergonomic design provides excellent operating experience</li> <li>Easy to read volume display</li> <li>The pipettes cover the volume range fro 0.1µ to 5ml</li> <li>Easy calibration and maintenance</li> <li>Manufactured from innovative material</li> <li>Each MicroPette Plus supplied with an individual calibration certificate accord ISO8655</li> </ul>	s								
	TYPE: VOLUME:									
	Single Channel 2 μL-20μL, 20μL-Adjustable Volume 200μL									
	Single Channel Fixed 100µL Volume									
	PIPETOR STAND: Holder: Round (Rotate Smoothly)									
	Others: Approved by DOH									
Purnose	e. For official use in the Office of the City Health (Molecular Lahr	oratory) this city								

Purpose: For official use in the Office of the City Health (Molecular Laboratory), this city.

Name	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	

# SCHEDULE OF REQUIREMENTS

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	1		Quantity		Delivered, Days/Weeks/Months
	LOT 1				
	ABC: P510,000.00	0.5	***		
1.	BINOCULAR MICROSCOPE SPECIFICATIONS:	06	Units		
	<b>BODY</b> : Aluminum die-casting metal frame, Protective covering				
	OPTICAL SYSTEM: Infinity optical system ILLUMINATION SYSTEM: Built-in transmitted illumination system, LED Power Consumption 0.5 W (normal values) FOCUSING: Stage height movement(coarse movement stroke: 15 mm), coarse adjusting limit stopper, Torque adjustment for coarse adjustment knob, Fine focus knob (minimum adjustment gradations: 2.5µm) REVOLVING NOSEPIECE: Fixed quadruple nosepiece STAGE: Wire movement mechanical fixed stage, Traveling range: 76mm(X)x30mm(Y), Specimen Holder, Specimen position scale OBSERVATION TUBE: 30° inclined binocular tube Interpupillary distance adjustment range: 48-75mm, Eyepoint adjustment: 370.0-432.9mm OBJECTIVES: Plan achromat, anti-fungus 4x NA: 0.10 W.D.: 27.8mm 10x NA: 0.25 W.D.: 8.0mm 40x NA: 0.65 W.D.: 0.6mm 100xOil NA: 1.25 W.D.: 0.13mm (CX23LEDRFS1 only) EYEPIECE (10X): Field Number (FN): 20 (anti- fungus)  OPTICAL ACCESSORIES: Reflection mirror				
	(CH20-MM), 15x eyepiece (WHSZ15X-H: FN 12, anti-fungus), Dedicated wooden case, Eyepiece micrometer, Darkfield stop (CH2-DS+CH2-FH)  WEIGHT: Approx. 5.9kg  RATED VOLTAGE/ELECTRIC CURRENT: AC 100-240V 50/60 Hz 0.4 A				
	POWER CONSUMPTION: Less than 2 W  Others: Approved by DOH				
	LOT2				
1	ABC: P850,000.00	Ω1	T T 14		
1.	ULTRA LOW -20' C Freezer Specifications: Type: -20'C to -25'C deep freezer Cabinet type: Upright Climate Class: 4 Cooling Type: Direct Cooling Defrost Mode: CFC-Free Noise Level (dB(A)): 34	01	Unit		
	Performance: Cooling Performance ('C): -25 Temperature Range ('C): -10 to -25 Control Controller: microprocessor Display: LED Electric Data: Power Supply (V/Hz): 220-240/50 Power(W): 90 Electrical Current: (A): 0.7				

	Interior Dimensions (W*D 18.9*18.3*56.3(in) Exterior Dimension (W*D Packing Dimension (W*D 30.5*29.9*74.0(in) Container load (20'/40'/40' Others: Certificate CE and Warranty: 1 year warranty maintenance	3 ): 88/93 (kg) 194.0/205(Ibs) *H): 480*465*1430(mm) *H): 700*705*1665(mm) *H): 775*760*1880(mm) 9'H): 24/48/48 DOH Certification				
	LOT3					
1.	ABC: P480,000.00 PIPETTOR GUN		04	Units		
	Features:  - Fully autoclave - Ergonomic design operating experie - Easy to read volu - The pipettes cove 0.1µ to 5ml - Easy calibration a - Manufactured fro - Each MicroPette	me display r the volume range from		Omis		
	TYPE:	<b>VOLUME:</b>				
	Single Channel Adjustable Volume	2 μL-20μL, 20μL- 200μL				
	Single Channel Fixed Volume	100μL				
	PIPETOR STAND: Holder: Round (Rotate Sm	noothly)				
	Others: Approved by DOI	I				

Signature over Printed Name

# TECHNICAL SPECIFICATIONS

Item	Specification	BRAND NAME	Statement of Compliance Statement of Compliance
		NAME	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
	LOT 1 ABC: P510,000.00		
1.	BINOCULAR MICROSCOPE		
	SPECIFICATIONS:  BODY: Aluminum die-casting metal frame,		
	Protective covering		
	<b>OPTICAL SYSTEM</b> : Infinity optical system <b>ILLUMINATION SYSTEM</b> : Built-in		
	transmitted illumination system, LED Power Consumption 0.5 W (normal values)		
	FOCUSING: Stage height movement(coarse		
	movement stroke: 15 mm), coarse adjusting limit stopper, Torque adjustment for coarse		
	adjustment knob, Fine focus knob (minimum adjustment gradations: 2.5µm)		
	<b>REVOLVING NOSEPIECE</b> : Fixed quadruple nosepiece		
	STAGE: Wire movement mechanical fixed		
	stage, Traveling range: 76mm(X)x30mm(Y), Specimen holder, Specimen position scale		
	<b>OBSERVATION TUBE</b> : 30° inclined		
	binocular tube Interpupillary distance adjustment range: 48-75mm, Eyepoint		
	adjustment: 370.0-432.9mm <b>OBJECTIVES</b> : Plan achromat, anti-fungus		
	4x NA: 0.10 W.D.: 27.8mm 10x NA: 0.25 W.D.: 8.0mm		
	40x NA: 0.65 W.D.: 0.6mm		
	100xOil NA: 1.25 W.D.: 0.13mm (CX23LEDRFS1 only)		
	EYEPIECE (10X): Field Number (FN): 20 (anti-fungus)		
	<b>OPTICAL ACCESSORIES</b> : Reflection mirror (CH20-MM), 15x eyepiece (WHSZ15X-H: FN		
	12, anti-fungus), Dedicated wooden case, Eyepiece micrometer, Darkfield stop (CH2-		
	DS+CH2-FH)		
	WEIGHT: Approx. 5.9kg RATED VOLTAGE/ELECTRIC CURRENT: AC 100-240V 50/60 Hz 0.4 A		

	POWER CONSUMPTION: Less than 2 W	
	Others: Approved by DOH	
	I OFFA	
	LOT2 ABC: P850,000.00	
1.	ULTRA LOW -20' C Freezer	
1.	Specifications:	
	Type: -20'C to -25'C deep freezer	
	Cabinet type: Upright	
	Climate Class: 4	
	Cooling Type: Direct Cooling	
	Defrost Mode: CFC-Free	
	Noise Level (dB(A)): 34	
	Performance:	
	Cooling Performance ('C): -25	
	Temperature Range ('C): -10 to -25	
	Control	
	Controller: microprocessor	
	Display: LED	
	Electric Data:	
	Power Supply (V/Hz): 220-240/50	
	Power(W): 90 Electrical Current: (A): 0.7	
	Functions: (A): 0.7	
	High/Low Temperature: Y	
	Sensor Error: Y	
	Dimensions:	
	Capacity (L/Cu.ft): 262/9.3	
	Net/Gross Weight(Approx): 88/93 (kg)	
	194.0/205(Ibs)	
	Interior Dimensions (W*D*H):	
	480*465*1430(mm) 18.9*18.3*56.3(in) Exterior Dimension (W*D*H):	
	700*705*1665(mm)	
	Packing Dimension (W*D*H):	
	775*760*1880(mm) 30.5*29.9*74.0(in)	
	Container load (20'/40'/40'H): 24/48/48	
	Others: Certificate CE and DOH Certification	
	Warranty: 1 year warranty on spareparts and	
	maintenance	
	LOT3	
	ABC: P480,000.00	
1.	PIPETTOR GUN	
	Features:	
	- Fully autoclave	
	- Ergonomic design provides excellent	
	operating experience	
	- Easy to read volume display	
	- The pipettes cover the volume range from 0.1μ to 5ml	
	- Easy calibration and maintenance	
	- Manufactured from innovative materials	
	- Each MicroPette Plus supplied with an	
	individual calibration certificate	
	according to ISO8655	
	TYPE: VOLUME:	
	Single Channel 2 μL-20μL, 20μL-	
	Adjustable Volume 200μL	
	1 Injustante votalile 200µL	
	Single Channel 100µL	
	Fixed Volume	

PIPETOR STAND: Holder: Round (Rotate Smoothly)	
Others: Approved by DOH	

Signature over Printed Name

# SCHEDULE OF WARRANTY

This serves as warranty for <u>Medical Equipment</u> in the City Government of Zamboanga.

ITEM NO.	LOT 1 ABC: P510,000.00	QUANTITY		WARRANTY	
1.	BINOCULAR MICROSCOPE SPECIFICATIONS:	06	Units		
	<b>BODY</b> : Aluminum die-casting metal frame,				
	Protective covering OPTICAL SYSTEM: Infinity optical				
	system ILLUMINATION SYSTEM: Built-in transmitted illumination system. J.ED Bourge				
	transmitted illumination system, LED Power Consumption 0.5 W (normal values)				
	FOCUSING: Stage height movement(coarse movement stroke: 15				
	mm), coarse adjusting limit stopper, Torque adjustment for coarse adjustment knob, Fine focus knob (minimum adjustment				
	gradations: 2.5µm) <b>REVOLVING NOSEPIECE</b> : Fixed				
	quadruple nosepiece STAGE: Wire movement mechanical fixed				
	stage, Traveling range: 76mm(X)x30mm(Y), Specimen holder,				
	Specimen position scale  OBSERVATION TUBE: 30° inclined				
	binocular tube Interpupillary distance adjustment range: 48-75mm, Eyepoint				
	adjustment: 370.0-432.9mm <b>OBJECTIVES</b> : Plan achromat, anti-fungus				
	4x NA: 0.10 W.D.: 27.8mm 10x NA: 0.25 W.D.: 8.0mm				
	40x NA: 0.65 W.D.: 0.6mm 100xOil NA: 1.25 W.D.: 0.13mm				
	(CX23LEDRFS1 only) EYEPIECE (10X): Field Number (FN): 20				
	(anti-fungus)				
	OPTICAL ACCESSORIES: Reflection mirror (CH20-MM), 15x eyepiece				
	(WHSZ15X-H: FN 12, anti-fungus),				
	Dedicated wooden case, Eyepiece micrometer, Darkfield stop (CH2-DS+CH2-				
	FH)				
	WEIGHT: Approx. 5.9kg RATED VOLTAGE/ELECTRIC				
	CURRENT: AC 100-240V 50/60 Hz 0.4 A POWER CONSUMPTION: Less than 2 W				
	Others: Approved by DOH				
	LOT2 ABC: P850,000.00				
1.	ULTRA LOW -20' C Freezer Specifications:	01	Unit		
	Type: -20'C to -25'C deep freezer				
	Cabinet type: Upright Climate Class: 4				
	Cooling Type: Direct Cooling Defrost Mode: CFC-Free				
	Noise Level (dB(A)): 34				

			1	1	
	Performance:				
	Cooling Performance ('C): -25				
	Temperature Range ('C): -10 to -25				
	Control				
	Controller: microprocessor				
	Display: LED				
	Electric Data:				
	Power Supply (V/Hz): 220-240/50				
	Power(W): 90				
	Electrical Current: (A): 0.7				
	Functions:				
	High/Low Temperature: Y				
	Sensor Error: Y				
	Dimensions:				
	Capacity (L/Cu.ft): 262/9.3				
	Net/Gross Weight(Approx): 88/93 (kg)				
	194.0/205(Ibs)				
	Interior Dimensions (W*D*H):				
	480*465*1430(mm) 18.9*18.3*56.3(in)				
	Exterior Dimension (W*D*H):				
	700*705*1665(mm)				
	Packing Dimension (W*D*H):				
	775*760*1880(mm) 30.5*29.9*74.0(in)				
	Container load (20'/40'/40'H): 24/48/48				
	Others: Certificate CE and DOH				
	Certification				
	Warranty: 1 year warranty on spareparts and				
	maintenance				
	LOT3				
	ABC: P480,000.00				
1.	PIPETTOR GUN	04	Units		
		04	Units		
		04	Offics		
	Features:	04	Omts		
	Features: - Fully autoclave	04	Omis		
	Features: - Fully autoclave - Ergonomic design provides	04	Omts		
	Features: - Fully autoclave - Ergonomic design provides excellent operating experience	04	Omts		
	Features: - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display	04	Omts		
	Features: - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range	04	Omts		
·	Features: - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml	04	Omts		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1µ to 5ml - Easy calibration and maintenance	04	Omts		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative	04	Omts		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials	04	Omts		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with	04	Offits		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials	04	Omts		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1µ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with an individual calibration certificate	04	Omts		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with	04	Omts		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655	04	Omts		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1µ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with an individual calibration certificate	04	Omts		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655  TYPE: VOLUME:	04	Offits		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655  TYPE: VOLUME:  Single Channel 2 μL-20μL, 20μL-	04	Office		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655  TYPE: VOLUME:	04	Office		
	<ul> <li>Features: <ul> <li>Fully autoclave</li> <li>Ergonomic design provides</li> <li>excellent operating experience</li> <li>Easy to read volume display</li> <li>The pipettes cover the volume range from 0.1μ to 5ml</li> <li>Easy calibration and maintenance</li> <li>Manufactured from innovative materials</li> <li>Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655</li> </ul> </li> <li>TYPE: VOLUME: <ul> <li>Single Channel</li> <li>2 μL-20μL, 20μL-Adjustable Volume</li> <li>200μL</li> </ul> </li> </ul>	04	Omts		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655  TYPE: VOLUME:  Single Channel 2 μL-20μL, 20μL- Adjustable Volume 200μL  Single Channel 100μL	04	Offits		
	<ul> <li>Features: <ul> <li>Fully autoclave</li> <li>Ergonomic design provides</li> <li>excellent operating experience</li> <li>Easy to read volume display</li> <li>The pipettes cover the volume range from 0.1μ to 5ml</li> <li>Easy calibration and maintenance</li> <li>Manufactured from innovative materials</li> <li>Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655</li> </ul> </li> <li>TYPE: VOLUME: <ul> <li>Single Channel</li> <li>2 μL-20μL, 20μL-Adjustable Volume</li> <li>200μL</li> </ul> </li> </ul>	04	Offits		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655  TYPE: VOLUME:  Single Channel 2 μL-20μL, 20μL- Adjustable Volume 200μL  Single Channel 100μL	04	Offits		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655  TYPE: VOLUME:  Single Channel 2 μL-20μL, 20μL- Adjustable Volume 200μL  Single Channel 100μL Fixed Volume	04	Offits		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655  TYPE: VOLUME:  Single Channel 2 μL-20μL, 20μL- Adjustable Volume 200μL  Single Channel 100μL Fixed Volume	04	Offits		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655  TYPE: VOLUME:  Single Channel 2 μL-20μL, 20μL- Adjustable Volume 200μL  Single Channel 100μL Fixed Volume	04	Offits		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655  TYPE: VOLUME:  Single Channel 2 μL-20μL, 20μL- Adjustable Volume 200μL  Single Channel 100μL Fixed Volume	04	Offits		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655  TYPE: VOLUME:  Single Channel 2 μL-20μL, 20μL- Adjustable Volume 200μL  Single Channel 100μL Fixed Volume  PIPETOR STAND: Holder: Round (Rotate Smoothly)	04	Offits		
	Features:  - Fully autoclave - Ergonomic design provides excellent operating experience - Easy to read volume display - The pipettes cover the volume range from 0.1μ to 5ml - Easy calibration and maintenance - Manufactured from innovative materials - Each MicroPette Plus supplied with an individual calibration certificate according to ISO8655  TYPE: VOLUME:  Single Channel 2 μL-20μL, 20μL- Adjustable Volume 200μL  Single Channel 100μL Fixed Volume	04	Offits		

# **Bid Data Sheet**

ITB Clause	
5.3	For this purpose, contracts similar to the project shall be:
	a. Medical Equipment: Lot 1-06 units Binocular Microscope; Lot 2-01 unit Ultra Low -20' C Freezer; Lot 3-04 units Pipettor Gun.
	b. Completed within ten (10) years prior to the deadline for the submission and receipt of bids.
7.1	"Subcontracting is not allowed."
12	The price of the Goods shall be quoted delivered duty paid (DDP) at CGSO, Tetuan, Zamboanga City for this project.
14.1	The Bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than <u>P36,800.00</u> ; if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than P92,000.00; if bid security is in Surety Bond.
19.4	One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.
20.2	[List here any licenses and permits relevant to the Project and the corresponding law requiring it.]
21.2	[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]

# Special Conditions of Contract **GCC Clause** [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] **Delivery and Documents -**For purposes of the Contract, "EXW," "FOB," "FCA," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS." [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered CGSO, Tetuan, Zamboanga City. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)]. Incidental Services – The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services. Spare Parts -The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier: Select appropriate requirements and delete the rest. a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and b. in the event of termination of production of the spare parts: i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to

ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.

procure needed requirements; and

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of Three (3) Months. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

#### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

Contract Description

**Final Destination** 

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

#### Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

#### Intellectual Property Rights -

4

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

2.2 [If partial payment is allowed, state] "The terms of payment shall be as follows: \_\_\_\_\_\_."

The inspections and tests that will be conducted are: Quality Inspection by Accounting, COA, CGSO and End User.


REPUBLIC OF THE PHILIPPINES	)
CITY OF	) S.S

#### **BID SECURING DECLARATION**

Invitation to Bid No.: [Insert reference number]

To: City Government of Zamboanga, **BIDS AND AWARDS COMMITTEE** Villalobos Street, Zamboanga City

I/We, the undersigned, declare that:



- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - of the bid validity period, or any extension thereof pursuant to your request;
  - vare declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and;
  - declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

N WINESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_ day of [month][year] at [place of execution].

[Insert NAME OF BIDDER OR ITS **AUTHORIZED REPRESENTATIVE** [Insert signatory's legal capacity]

Affiant

#### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]