

INVITATION TO BID FOR

Motor Vehicle

(Name of Project)

- The CITY GOVERNMENT OF ZAMBOANGA, through the AB FY 2022 intends to apply the sum of TWO MILLION FIVE HUNDRED THOUSAND PESOS (P2,500,000.00) ONLY being the Approved Budget for the Contract (ABC) to payments under the contract for Motor Vehicle (PR No. 100-23-01-0139). Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The CITY GOVERNMENT OF ZAMBOANGA now invites bids for the **01 unit Van.** Delivery of the GOODS is required by **Ninety (90)** Calendar Days. Bidders should have completed within a period of ten (10) years from the date of submission and receipt of bids, a contract similar to the Project, with a value of at least (50%) of the ABC and to meet other eligibility requirements stated in the Eligibility Documents. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184.

 Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
- 4. Prospective Bidders may obtain further information from CITY GOVERNMENT OF ZAMBOANGA in the Office of the City Mayor-Procurement, Acquisition and Awards Division (CMO-PAAD) and inspect the Bidding Documents at the address given below during 8:00 AM to 5:00 PM.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on <u>January 31, 2023 to February 20, 2023</u> from the given address and website/s below and upon payment of a non-refundable fee for the Bidding Documents, pursuant to the latest guidelines issued by the GPPB, in the amount of <u>P2,500.00</u>. The method of payment will be <u>Cash payable to the City Treasurer's Office</u>. The Bidding Documents shall be received personally by the Prospective Bidder or his/her authorized representative. The Procuring Entity shall allow the bidder to present its proof of payment for the fees "machine copy of the official receipt" not later than the submission of their bids.
- 6. The CITY GOVERNMENT OF ZAMBOANGA will hold a Pre-bid Conference on **February 08, 2023 at 10:00 AM** at Office of the City Mayor Procurement, Acquisition and Awards Division (CMO-PAAD), Conference Room, Villalobos St., Zamboanga City, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission on or before February 20, 2023 at 10:00 AM at Office of the City Mayor Procurement, Acquisition and Awards Division (CMO-PAAD), Conference Room, Villalobos St., Zamboanga City. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a Bid Security in any of the acceptable forms and in the amount stated in ITB Clause 14.
 - All Bids must be accompanied by a Bid Security which shall be a **Bid Securing Declaration or** at least one other form of the following: cash, cashier's/manager's check, bank draft/guarantee confirmed by a Universal/Commercial Bank, Irrevocable Letter of Credit issued by a Universal/Commercial Bank or from other bank certified by the Bangko Sentral ng Pilipinas as authorized to issue such financial instrument, provided however that it shall be confirmed or authenticated by a Universal/Commercial Bank if issued by a foreign bank in the amount of **P50,000.00** or Surety Bond callable upon demand issued by a Surety or Insurance Company duly certified by the Insurance Commission as authorized to issue such security in the amount of **P125,000.00** or any combination of the foregoing in the amount proportionate to share of form with respect to total amount of security.

The Bid Security shall be denominated in Philippine Pesos and posted in favor of the Procuring Entity.

Bidders are required to indicate the BRAND NAME and/or NAME OF MANUFACTURER of GOODS offered/quoted, when appropriate.

- 9. Bid opening shall be on <u>February 20, 2023 at 10:00 AM</u> at Office of the City Mayor Procurement, Acquisition and Awards Division (CMO-PAAD), Conference Room, Villalobos St., Zamboanga City. Bids will be opened in the presence of the bidder's representatives who choose to attend the activity.
- 10. To be delivered in the Office of the City Mayor Sports
- 11. The CITY GOVERNMENT OF ZAMBOANGA reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 35.6 and 41 of the 2016 revised Implementing Rules or Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. Bidders are advised to use the BID FORM at the back of this ITB. Failure to do so would lead to non-acceptance of the bid.
- **13.** For Further information please refer to:

ATTY. DIOSCORO E. SALE

BAC Secretariat
Office of the City Mayor - Procurement, Acquisition and Awards Division
Villalobos Street, Zamboanga City
zcbac.sec@gmail.com
Tel. No. (062) 992-7763

ATTY. ALEXANDER ERIC F. ELIAS

BAC Chairperson



BID FORM

Date:
TO: CITY GOVERNMENT OF ZAMBOANGA Address: Villalobos Street ZAMBOANGA CITY
Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers including Bid Bul Numbers Goods 23-0131-0019 the receipt of which is hereby duly acknowledge, we, the undersigned, offer to supply/deliver/perform Methicle in conformity with the said Philippine Bidding Documents (PBDs) for the sum of
(total Bid amount in words and figures)
or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the F Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax' (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized he or in the Price Schedules,
if our Bid is accepted, we undertake:
 To deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philip Bidding Documents (PBDs);
b. To provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
 To abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon as at any time before the expiration of that period.
[Insert this paragraph if Foreign-Assisted Project with the Development Partner: Commissions or gratuities, if any, paid, paid or to be paid by us to agents relating to this Bid, and to contract execution if we awarded the contract, are listed below:
Name and address Amount and Purpose of agent Currency Commission or gratuity
(if none, state "None")]
Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Aw shall be binding upon us.
We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.
We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.
The undersigned is authorized to submit the bid on behalf of
as evidenced by the attached (name of bidder)
as evidenced by the attached (state the written authority)
We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be ground for the rejection of our bid.
Name:

Duly authorized to sign the Bid for and behalf of:

Name of Bidder ______ Solicitation No.: **Goods 23-0131-0019** Page 1 of 4

1	2	3	4		5	6	7	8	9	10
Item	Description	Country of origin	Quar	ntity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
1.	VAN Overall Dimensions Length x Width x Height: 5,265 x 1,950 x 1,990mm Wheelbase: 3,210mm Ground Clearance: 175mm Minimum Tire Turning Radius: 5.5m Fuel Tank Capacity: 70L Seating Capacity: 12 pax Engine and Transmissions Engine Technology: 4-Cylinders, In-Line Type Type: 16-Valve DOHC Displacement: 2,755cc Maximum Output: 176Ps / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Diesel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With For official use in the Office of the City Mayor – Sports Development –	Mayor Joaquin F	01	Unit Memorial Sr	orts Complex.	this city				
ruipose	. To official use in the Office of the City mayor – Sports Development –	mayur Juayulli F	. Lilliquez, Ji.	memorial of	oris complex,	u iio Gity.				

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

Name of Bidder ______ Solicitation No.: **Goods 23-0131-0019** Page 2 of 4

Item	Description	Country of							10
		origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
	Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With					item			
	Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable) Rr. No. 1: 3 (Bench Type with Individual Recline) For official use in the Office of the City Mayor – Sports Development – I	Mayor Joaquin	F. Fnriguez, Jr. Memorial Sp	orts Complex t	his city				

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
D-1	

Name of Bidder ______ Solicitation No.: **Goods 23-0131-0019** Page 3 of 4

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
	Rr. No. 2: 2 + 1 (Bench Type with Individual Recline) Rr. No. 3: 2 + 2 (Bench Type 50:50 Space Up) Material: Fabric with Vinyl Leather Rear Seat Back Pockets: With Carpet: Fabric Cup / Bottle Holder: Front: Instrument Panel (3 pcs.), Door Trim (2 pcs.) Rear: With (17 pcs.) Audio System: Display Audio with CD / DVD / MP3 / FLAC with AUX, USB, Bluetooth, T-Link (for Apple & Android) and K2 Technology and 6-Speakers Airconditioner (Type): Dual, Manual Controls w/ Rear Vent Function Power Window: With (Driver / Front Passenger Auto Up-Down) Door Lock: With Outside Rearview Mirror: Adjust + Retract					item			
Pumose	Steering Wheel Switch: Audio, Telephone, Cruise Control Wireless Door Lock: With Illuminated Entry: Ignition Key + Lamp Light Control System: With Door Ajar Warning: With Key Remind Warning: With (Buzzer + Unlock Mechanism) Light Remind Warning: With	Mayor Joaquin	F. Enriquezlr. Memorial Sp	orts Complex t	his city				

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

of Bidder Solicit	citation No.: Goods 23-0131-0019 Pa	age 4 of
-------------------	--	----------

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
	Safety ABS (Anti-Lock Brake System): With Vehicle Stability Control: With Brake Assist Hill-Start Assist: With SRS Airbag: Dual (Driver + Passenger) Seat Belt Front: 3 pt. ELR (2 pcs) Rear: 3 pt. ELR (10 pcs) High Amount Stop Lamp: With Clearance & Back Sonar: With (Front: 2, Rear: 4) 3 Years Comprehensive Registration: With GSIS Insurance: With Note: Supplier must have a service facility in Zamboanga City.								

Ivaille	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

Name

SCHEDULE OF REQUIREMENTS

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

I. VAN Overall Dimensions Length x Width x Height: 5,265 x 1,950 x L990mm Wheelboxe: 3,210mm Ground Clearance: 175mm Minimum Tire Turning Radius: 5.5m Fuel Tank Capacity: 70L Seating Capacity: 12 pax	Item Number	Description	Quantity		Total	Delivered, Days/Weeks/Months
Overall Dimensions Length x Width x Height: 5,265 x 1,950 x 1,990nm Wheelbase: 3,210mm Ground Clearance: 175mm Minimum The Turning Radius: 5.5m Fuel Tank Capacity: 701. Seating Capacity: 12 pax Engine and Trunsmissions Engine Technology: 4-Cylinders, In-Line Type Type: 16-Valve DOHC Displacement: 2,755cc / 3,400Rpm Maximum Torque: 4505m / 1,600 – 2,400Rpm Fucl: Dissel Trunsmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axile, Leaf Spring Brakes (Front / Rear): Ventilated Dises / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 68R16C. Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With Oriver and Passenger) Room Lamp: With Sumvisor Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Front Passenger: Slide and Recline Adjust Front Passenger: Slide and Recline Adjust Front Prost.	1.	VAN	01	Unit		
Length x Width x Height: 5,265 x 1,950 x 1,990mm Wheelbase: 3,210mm Ground Clearance: 175mm Minimum Tire Turning Radius: 5,5m Puel Tank Capacity: 701. Seating Capacity: 12 pax Engine and Transmissions Engine Technology: 4-Cylinders. In-Line Type Type: 16-Valve DOHC Displacement: 2,755cc Maximum Output: 1767s / 3,400Rpm Maximum Torque: 450Nm / 1,600 - 2,400Rpm Maximum Torque: 450Nm / 1,600 - 2,400Rpm Puel: Diesel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle. Leaf Spring Brukes (Front / Rear): Ventilated Dises / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headiamy: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lump From It Sog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Delogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Seat: Wi			V-			
Wheelbase: 3,210mm Ground Clearance: 175mm Minimum Tire Turning Radius: 5.5m Fuel Tank Capacity: 70L Seating Capacity: 12 pax Engine and Transmissions Engine Technology: 4-Cylinders, In-Line Type Type: 16-Valve DOHC Displacement: 2,755cc 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Dissel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): Metherson Strut / Rigid Axlc, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlanp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable: Front Center Console Box: With Front Personal Lamp: With Sunvisor Driver: Passenger Rear View Mirror: Day and Night Assist Grip Front: With Seat: With Sea						
Wheelbase: 3,210mm Ground Clearance: 175mm Minimum Tire Turning Radius: 5.5m Fuel Tank Capacity: 70n. Seating Capacity: 12 pax Engine and Transmissions Engine Technology: 4-Cylinders. In-Line Type Type: 16-Valve DOHC Displacement: 2,755cc Maximum Outpu: 1768 / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Dissel Transmission: 6-speed Automatic Chassiv Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Disse / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlannp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat Driver Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust		-				
Ground Clearnnee: 175mm Minimum The Turning Radius: 5.5m Fuel Tank Capacity: 70L Seating Capacity: 12 pax Engine and Transmissions Engine Technology: 4-Cylinders, In-Line Type Type: 16-Valve DOHC Displacement: 2.75cec / 3,400Rpm Maximum Output: 176Ps / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Dissel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): Mebherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Disses / Drum Steering System: Variable Power Steering Tires / Wheels: 255 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent with Mist Rear Window Defoger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With Sumvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Seat: Univers Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust						
Minimum Tire Turning Radius: 5.5m Fuel Tank Capacity: 70L Seating Capacity: 12 pax Engine Technology: 4-Cylinders, In-Line Type Type: 16-Valwe DOHC Displacement: 2,755cc Maximum Output: 1767s / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Diesel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axile. Leaf Spring Brakes (Front / Rear): Werblated Discs / Drum Steering System: Variable Power Steering Tires: Wheels: 235 / 65R 16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Paned Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12 v. 2 Rr. No. 1: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Rear: With Seat: With Se		·				
Fuel Tank Capacity: 70L Seating Capacity: 12 pax Engine and Transmissions Engine Technology: 4-Cylinders, In-Line Type Type: 16-Valve DOHC Displacement: 2,755cc Maximum Output: 176Fs / 3,400Rpm Maximum Toque: 450Nm / 1,600 – 2,400Rpm Fuel: Diesel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires: Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogeer: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Comector Front: 12V x 2 Rr. No. 1: With (2 pes) Rr. No. 2: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust						
Engine and Transmissions Engine Technology: 4-Cylinders, In-Line Type Type: 16-Valve DOHC Displacement: 2.755cc Maximum Output: 176°s / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Diesel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axic, Leaf Spring Brakes (Front / Rear): Ventilated Dises / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 129 x. 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust		_				
Engine and Transmissions Engine Technology: 4-Cylinders, In-Line Type Type: 16-Valve DOHC Displacement: 2,755cc Maximum Output: 176Ps / 3,400Rpm Maximum Torque: 450Rm / 1,600 – 2,400Rpm Fuel: Diesel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires: Wheels: 235 / 65R 16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogeer: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Commector Front: 12 Vx 2 Rr. No. 1: With (2 pes) Rr. No. 2: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With Oriver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Front Passenger: Slide and Recline Adjust Front Passenger: Slide and Recline Adjust Front Parses: Front (Adjustable)		* *				
Engine Technology: 4-Cylinders, In-Line Type Type: 16-Valve DOHC Displacement: 2,755cc Maximum Output: 176Ps / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Dissel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front/Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Pog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: Strick Ageline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable)		Seating Capacity: 12 pax				
Engine Technology: 4-Cylinders, In-Line Type Type: 16-Valve DOHC Displacement: 2,755ce Maximum Output: 176Ps / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Dissel Transmission: 6-speed Automatic Chussis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front/Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Seat: With Seat: Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable)		Engine and Transmissions				
Type: 16-Valve DOHC Displacement: 2,755c Maximum Output: 176Ps / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuci: Diesel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (From / Rear): Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust						
Displacement: 2,755cc Maximum Output: 176Ps / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Dicsel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front/ Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V × 2 Rr. No. 1: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Seat: With Seat: With Seat: With Seat: With Seat: With Seat: Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Front Passenger: Slide Recline Adjust Front Passenger: Slide Recline Adjust Front Passenger: Slide Recline Adjust						
Maximum Output: 176Ps / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Diesel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Internittent time Adjustment with Mist / Internittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Seat: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjustable)		*1				
Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Diesel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Dises / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Rr. No. 2: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Seat: With						
Fuel: Diesel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tres / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passengerer: Slide and Recline Adjust Headrest: Front (Adjustable)		* *				
Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger; Slide and Recline Adjust Headrest: Front (Adjustable)		* · · · · · · · · · · · · · · · · · · ·				
Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Rr. No. 2: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger; Slide and Recline Adjust Front Passenger; Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Rr. No. 2: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: Pront Passenger: Slide and Recline Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)		Transmission: o-speed Automatic				
Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Rr. No. 2: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: Pront Passenger: Slide and Recline Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)		Chassis				
Axic, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Seat: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assit Grip Front: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assit Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)		· · · · · · · · · · · · · · · · · · ·				
Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Reeline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (From / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)		lires / Wheels: 235 / 65K16C Alloy				
Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (From / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)		Exterior				
Integrated Turn Lamp Front Fog Lamps: With Wiper (Front /Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)		Kear William Derogger. With Timer				
Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)		Interior				
Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)		<u> </u>				
Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)		•				
Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)		- '				
Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Assist Grip Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)		_				
Front: With Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Rear: With Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Seat: With Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Seat Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable)						
Headrest: Front (Adjustable), Rear (Adjustable)						
Rr. No. 1: 3 (Bench Type with Individual Recline)		Rr. No. 1: 3 (Bench Type with Individual Recline)				

Rr. No. 2: 2 + 1 (Bench Type with Individual			
Recline)			
Rr. No. 3: 2 + 2 (Bench Type 50:50 Space Up)			
Material: Fabric with Vinyl Leather			
Rear Seat Back Pockets: With			
Carpet: Fabric			
Cup / Bottle Holder:			
Front: Instrument Panel (3 pcs.), Door Trim (2			
pcs.)			
Rear: With (17 pcs.)			
Audio System: Display Audio with CD / DVD /			
MP3 / FLAC with AUX, USB, Bluetooth, T-Link			
(for Apple & Android) and K2 Technology and 6-			
Speakers			
Airconditioner (Type): Dual, Manual Controls w/			
Rear Vent			
Function			
Power			
Window: With (Driver / Front Passenger Auto			
Up-Down)			
Door Lock: With			
Outside Rearview Mirror: Adjust + Retract			
Steering Wheel Switch: Audio, Telephone, Cruise			
Control			
Wireless Door Lock: With			
Illuminated Entry: Ignition Key + Lamp			
Light Control System: With			
Door Ajar Warning: With			
Key Remind Warning: With (Buzzer + Unlock			
Mechanism)			
Light Remind Warning: With			
6			
Safety			
ABS (Anti-Lock Brake System): With			
Vehicle Stability Control: With Brake Assist			
Hill-Start Assist: With			
SRS Airbag: Dual (Driver + Passenger)			
SKS Alloag. Dual (Dilvel + I assengel)			
Coot Dolt			
Seat Belt Front: 2 pt. FLP. (2 pos)			
Front: 3 pt. ELR (2 pcs)			
Rear: 3 pt. ELR (10 pcs)			
High Amount Stop Lamp: With			
Clearance & Back Sonar: With (Front: 2, Rear: 4)			
3 Years Comprehensive Registration: With			
GSIS Insurance: With			
Note:			
Supplier must have a service facility in			
Zamboanga City.			
· · · · · · · · · · · · · · · · · · ·	Į.		_

Signature over Printed Name

TECHNICAL SPECIFICATIONS

Item	Specification	BRAND NAME	Statement of Compliance Statement of Compliance
			[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
1.	VAN Overall Dimensions Length x Width x Height: 5,265 x 1,950 x 1,990mm Wheelbase: 3,210mm Ground Clearance: 175mm Minimum Tire Turning Radius: 5.5m Fuel Tank Capacity: 70L Seating Capacity: 12 pax		
	Engine and Transmissions Engine Technology: 4-Cylinders, In-Line Type Type: 16-Valve DOHC Displacement: 2,755cc Maximum Output: 176Ps / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Diesel Transmission: 6-speed Automatic		
	Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy		
	Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer		
	Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic		

Adjustable

Front Center Console Box: With

Front Personal Lamp: With (Driver and Passenger)

Room Lamp: With

Sunvisor: Driver + Passenger Rear View Mirror: Day and Night

Assist Grip Front: With Rear: With Seat: With

Driver: Slide, Recline and Vertical Adjust Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable) Rr. No. 1: 3 (Bench Type with Individual Recline) Rr. No. 2: 2 + 1 (Bench Type with Individual

Recline)

Rr. No. 3: 2 + 2 (Bench Type 50:50 Space Up)

Material: Fabric with Vinyl Leather Rear Seat Back Pockets: With

Carpet: Fabric

Cup / Bottle Holder:

Front: Instrument Panel (3 pcs.), Door Trim (2 pcs.)

Rear: With (17 pcs.)

Audio System: Display Audio with CD / DVD / MP3 / FLAC with AUX, USB, Bluetooth, T-Link (for Apple & Android) and K2 Technology and 6-

Speakers

Airconditioner (Type): Dual, Manual Controls w/

Rear Vent

Function

Power

Window: With (Driver / Front Passenger Auto Up-

Down)

Door Lock: With

Outside Rearview Mirror: Adjust + Retract

Steering Wheel Switch: Audio, Telephone, Cruise

Control

Wireless Door Lock: With

Illuminated Entry: Ignition Key + Lamp

Light Control System: With Door Ajar Warning: With

Key Remind Warning: With (Buzzer + Unlock

Mechanism)

Light Remind Warning: With

Safety

ABS (Anti-Lock Brake System): With Vehicle Stability Control: With Brake Assist

Hill-Start Assist: With

SRS Airbag: Dual (Driver + Passenger)

Seat Belt

Front: 3 pt. ELR (2 pcs)
Rear: 3 pt. ELR (10 pcs)
High Amount Stop Lamp: With

Clearance & Back Sonar: With (Front: 2, Rear: 4) 3 Years Comprehensive Registration: With

GSIS Insurance: With

Note:

Supplier must have a service facility in Zamboanga

City.

SCHEDULE OF WARRANTY

This serves as warranty for $\underline{\text{Motor Vehicle}}$ in the City Government of Zamboanga.

DESCRIPTION	Ql	JANTITY	WARRANTY
VAN Overall Dimensions Length x Width x Height: 5,265 x 1,950 x 1,990mm Wheelbase: 3,210mm Ground Clearance: 175mm Minimum Tire Turning Radius: 5.5m Fuel Tank Capacity: 70L Seating Capacity: 12 pax	01	Unit	
Engine and Transmissions Engine Technology: 4-Cylinders, In-Line Type Type: 16-Valve DOHC Displacement: 2,755cc Maximum Output: 176Ps / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Diesel Transmission: 6-speed Automatic			
Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy			
Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer			
Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Rr. No. 2: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat Driver: Slide, Recline and Vertical Adjust			
	VAN Overall Dimensions Length x Width x Height: 5,265 x 1,950 x 1,990mm Wheelbase: 3,210mm Ground Clearance: 175mm Minimum Tire Turning Radius: 5.5m Fuel Tank Capacity: 70L Seating Capacity: 12 pax Engine and Transmissions Engine Technology: 4-Cylinders, In-Line Type Type: 16-Valve DOHC Displacement: 2,755cc Maximum Output: 176Ps / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Diesel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Rr. No. 2: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear View Mirror: Day and Night Assist Grip Front: With Rear: With Seat: With	VAN Overall Dimensions Length x Width x Height: 5,265 x 1,950 x 1,990mm Wheelbase: 3,210mm Ground Clearance: 175mm Minimum Tire Turning Radius: 5.5m Fuel Tank Capacity: 70L Seating Capacity: 12 pax Engine and Transmissions Engine Technology: 4-Cylinders, In-Line Type: 16-Valve DOHC Displacement: 2,755cc Maximum Output: 176Ps / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Diesel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Halogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pcs) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear With Seat: With Seat: With Seat: With	VAN Overall Dimensions Length x Width x Height: 5,265 x 1,950 x 1,990mm Wheelbase: 3,210mm Ground Clearance: 175mm Minimum Tire Turning Radius: 5,5m Fuel Tank Capacity: 70L Seating Capacity: 12 pax Engine and Transmissions Engine Technology: 4-Cylinders, In-Line Type Type: 16-Valve DOHC Displacement: 2,755cc Maximum Output: 176Ps / 3,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Maximum Torque: 450Nm / 1,600 – 2,400Rpm Fuel: Diesel Transmission: 6-speed Automatic Chassis Suspension (Front/Rear): McPherson Strut / Rigid Axle, Leaf Spring Brakes (Front / Rear): Ventilated Discs / Drum Steering System: Variable Power Steering Tires / Wheels: 235 / 65R16C Alloy Exterior Headlamp: Bi-beam Multi-Reflector Hadogen w/ Integrated Turn Lamp Front Fog Lamps: With Wiper (Front / Rear): Intermittent time Adjustment with Mist / Intermittent with Mist Rear Window Defogger: With Timer Interior Instrument Panel Meter Gauge: Analog with Digital Trip Meter Multi-Info Display: With Accessory Connector Front: 12V x 2 Rr. No. 1: With (2 pes) Glove Box: With Steering Column: Manual Tilt and Telescopic Adjustable Front Center Console Box: With Front Personal Lamp: With (Driver and Passenger) Room Lamp: With Sunvisor: Driver + Passenger Rear Vicw Mirror: Day and Night Assist Grip Front: With Fron: With Rear: With Seat: With

Front Passenger: Slide and Recline Adjust Headrest: Front (Adjustable), Rear (Adjustable) Rr. No. 1: 3 (Bench Type with Individual Recline) Rr. No. 2: 2 + 1 (Bench Type with Individual Recline) Rr. No. 3: 2 + 2 (Bench Type 50:50 Space Up) Material: Fabric with Vinyl Leather Rear Seat Back Pockets: With Carpet: Fabric Cup / Bottle Holder: Front: Instrument Panel (3 pcs.), Door Trim (2 pcs.) Rear: With (17 pcs.) Audio System: Display Audio with CD / DVD/MP3/FLAC with AUX, USB, Bluetooth, T-Link (for Apple & Android) and K2 Technology and 6-Speakers Airconditioner (Type): Dual, Manual Controls w/ Rear Vent **Function Power** Window: With (Driver / Front Passenger Auto Up-Down) Door Lock: With Outside Rearview Mirror: Adjust + Retract Steering Wheel Switch: Audio, Telephone, Cruise Control Wireless Door Lock: With Illuminated Entry: Ignition Key + Lamp Light Control System: With Door Ajar Warning: With Key Remind Warning: With (Buzzer + Unlock Mechanism) Light Remind Warning: With **Safety** ABS (Anti-Lock Brake System): With Vehicle Stability Control: With Brake Assist Hill-Start Assist: With SRS Airbag: Dual (Driver + Passenger) **Seat Belt** Front: 3 pt. ELR (2 pcs) Rear: 3 pt. ELR (10 pcs) High Amount Stop Lamp: With Clearance & Back Sonar: With (Front: 2, Rear: 4) 3 Years Comprehensive Registration: With GSIS Insurance: With **Note:** Supplier must have a service facility in Zamboanga City.

Bid Data Sheet

ITB Clause			
5.3	For this purpose, contracts similar to the project shall be:		
	a. Motor Vehicle: 01 unit Van b. Completed within ten (10) years prior to the deadline for the submission and receipt of bids.		
7.1	"Subcontracting is not allowed."		
12	The price of the Goods shall be quoted delivered duty paid (DDP) at CGSO, Tetuan, Zamboanga City for this project.		
14.1	The Bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:		
	a. The amount of not less than <u>P50,000.00</u> ; if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or		
	b. The amount of not less than P125,000.00; if bid security is in Surety Bond.		
19.4	The Project shall be awarded One Project having several items that shall be awarded as one contract.		
20.2	[List here any licenses and permits relevant to the Project and the corresponding law requiring it.]		
21.2	[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]		

Special Conditions of Contract

GCC Clause [List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] Delivery and Documents -For purposes of the Contract, "EXW," "FOB," "FCA," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS." [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered CGSO, Tetuan, Zamboanga City. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)]. Incidental Services -The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services. Spare Parts -The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier: Select appropriate requirements and delete the rest. a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and b. in the event of termination of production of the spare parts: i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested. The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price. The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of Three (3) Months. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging –

The Consideration the large idea with realistics of the Conderns in required to required to require the index of the infection during the conderns in the design of the Conderns in required to require the infection during the conderns in the

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

Contract Description

Final Destination

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights -

4

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

2.2 [If partial payment is allowed, state] "The terms of payment shall be as follows: ______."

The inspections and tests that will be conducted are: Quality Inspection by Accounting, COA, CGSO and End User.


REPUBLIC OF THE PHILIPPINES)
CITY OF) S.S

BID SECURING DECLARATION

Invitation to Bid No.: [Insert reference number]

To: City Government of Zamboanga,
BIDS AND AWARDS COMMITTEE
Villalobos Street,
Zamboanga City





- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I are we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and;
 - c. I alm/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

N WINESS WHEREOF, I/We have hereunto set my/our hand/s this ___ day of [month][year] at [place of execution].

[Insert NAME OF BIDDER OR ITS
AUTHORIZED REPRESENTATIVE
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]