

SF-GOOD-60

**REQUEST FOR QUOTATION  
(53.9 “Small Value Procurement”)**

**Ceejay’s Enterprises  
Lenin Computer Systems, Inc.  
AU Trading**

Date: January 31, 2023  
Quotation No.: 2154R  
Place of Delivery: City General Services Office

Please quote your lowest price on the items listed below, subject to the General Conditions on the Philippine Bidding Documents on Goods, stating the shortest time of delivery and submit your quotation duly signed by your representative **on or before February 6, 2023 at 10:00 a.m.**

**ATTY. ALEXANDER ERIC F. ELIAS**  
*BAC-Chairperson*

**Note: ALL ENTRIES MUST BE TYPEWRITTEN / LEGIBLY WRITTEN.**

1. DELIVERY PERIOD **SIXTY (60) CALENDAR DAYS (LOT 1-2)**
2. WARRANTY SHALL BE FOR A PERIOD OF THREE (3) MONTHS FOR EXPENDABLE SUPPLIES, ONE (1) YEAR FOR NON-EXPENDABLE SUPPLIES, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY.
3. PRICE VALIDITY SHALL BE FOR A PERIOD OF THIRTY (30) CALENDAR DAYS.
4. G-EPS REGISTRATION CERTIFICATE SHALL BE ATTACHED UPON SUBMISSION OF THE QUOTATION, IF AVAILABLE.
5. BIDDERS SHALL SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATIONS OF THE PRODUCT BEING OFFERED.
6. **INDICATE BRAND NAME OF ITEMS BEING OFFERED.**
7. **DROP YOUR QUOTATION IN A SEALED ENVELOPE AND PROPERLY LABELED-**
8. **Bidders are requested to submit PHILGEPS REGISTRATION NUMBER/ PHILGEPS PLATINUM CERTIFICATE, OMNIBUS SWORN STATEMENT AND BUSINESS/MAYOR’S PERMIT**
9. **Downloaded Form must be duly signed by BAC Chairman prior to submission for the opening of bidding documents.**
10. **For Tires and Batteries, ONE (1) YEAR WARRANTY**
11. **Bidders are required to indicate unit price per item, type written or legibly hand-written.**

ITEM NO.	ITEM & DESCRIPTION	BRAND NAME	QTY	Unit	UNIT PRICE	TOTAL
	<b>LOT 1: P193,000.00</b>					
1.	LAPTOP COMPUTER CPU Model : N4020 (2C/2T) / 2.8Ghz, Memory 1 : 8GB LPDDR3 2133, Memory 2 : N/A, Integ. GFX : Intel UHD Graphics 600 Dedicted GFX : N/A, GFX Model : N/A, Storage 1 : 128GB EMMC 5.1, Storage 2 : N/A, Screen Size : 10.1"" , Panel : IPS Resolution : HD 1366x768, Refresh Rate : 60Hz, Chassis : Plastic USB Port(s) : 2x USB 2.0 / 1x Type C, Backlit KB : No Backlit Std.Port(s) : WIFI/BT/SD/AUDIO, Battery : 2 Cell Special Ft. 1 : 360 Flip, Touchscreen Special Ft. 2 : 2 in 1 Detachable OS : Windows 10 Pro <b>Estimated Cost: P96,000.00</b>		4	UNITS		
2.	PROJECTOR Material: ABS + Aluminum alloy, Display type: DLP, Light source: LED, Brightness: 200ANSI, Standard resolution: 854*480 Lamp life: 20000 Hours, Image size: 20’’-120’’ Aspect ratio: 16:9, Keystone correction: ±45 degree, OS: Android 7.1, BT version: BT 4.1 WiFi: BCM 43569 802.11 b/g/n/ac 2.4G/5G 2T2R (AP6269LV) CPU: Rockchip 3128 Quad Core ARM Cortex-A7, 1.2GHz CPU Port: USB/Type-C/HDM-I, RAM: 1G/2G, ROM: 8G/16G With remote control: Yes (2*AAA batteries), Power supply: Battery powered, 6100mAh rechargeable, Size: 123*65*40 mm , Weight: about 360 g <b>Estimated Cost: P35,000.00</b>		1	UNIT		

3.	<p><b>PROJECTOR</b>          Plug Type: AU-type, US-type, EU-type, UK-type (optional), Projection Technology: LCD, Operation System: Android Smart system          Connection: Support wifi mirror screen function, Lamp Type: LED, Brightness: 3500-4000 Lumens Upgraded, Native Resolution: 1280*800, Supported Resolution: VGA(800x600)/XGA(1024x768)/720P(1280x720)/WXGA(1280x800          Contrast Ratio: 3000:1 Connectors: USB*2/HDMI/AV/VGA/ Audio (3.5mm), Lamp Life: 30,000h, Aspect Ratio: 1~4M          Lens: Manual focusfull, Projection Screen Size: 30~170inches          Input Voltage: 100V-260V (±10%) ,50-60Hz, Power Consumption: 70W, Fast Boot: 3s, Connectivity Technology: WiredSpeakers Included: Yes, built-in, Item Size: 250 * 170 * 80mm / 9.84 * 6.69 * 3.15in, package Weight: 1700g / 59.97ounces, Package Size: 325 * 200 * 105mm / 12.8 * 7.87 * 4.13in  <b>Estimated Cost: P62,000.00</b></p>		2	UNITS		
<b>LOT 2: P80,000.00</b>						
1.	<p><b>PROJECTOR</b>          Large, Sharp, More Impact Viewing Experience          3,800 lumens of color and white brightness1          Native XGA resolution and 4:3 performance          Long lamp life up to 12,000 hours in ECO Mode          Built-in Moderator function3 for easy sharing using iProjection          Advanced network connectivity          Temperature:          Low Altitude: 5 – 40 °C &lt;41 – 104 °F&gt;          High Altitude: 5 – 35 °C &lt;41 – 95 °F&gt; (20% – 80% Humidity, No Condensation) Standard Size:          Tele: 30” to 300” [1.07 to 10.95 m]          Wide: 30” to 300” [0.89 to 9.12 m]          White Light Output (Normal/Eco): 3,800 lm          Colour Light Output: 3,800 lm, Contrast Ratio: 16,000:1          Connectivity: USB, Interface: USB          Type A: 1 (For Wireless LAN, Firmware Update, Copy OSD Settings) USB, Type B: 1 (For Firmware Update, Copy OSD Settings)          Network: Wireless: Optional (ELPAP11)          Analog Input: Composite: 1 RCA and D-Sub 15pin: 1          Digital Input: HDMI: 1 (MHL not supported)          Audio Input: 2 RCA: 1, Start-Up Period: Up to 6 seconds,          Warm-up Period: 30 seconds, Cool Down Period: Instant Off          Air Filter: Type: High Efficiency Filter          Maintenance Cycle: 6,000 / 12,000 hours          Projection Technology: RGB liquid crystal shutter projection system (3LCD), LCD: Native Resolution: XGA (1024 x 768)          Size: 0.55” (C2fine), Lightsource:          Type: 210W UHE          Life (Normal / Eco): 6,000 / 12,000 hours          Aspect Ratio: 4:3          Projection Lens:          Type: Optical Zoom (Manual) / Focus (Manual)          F-Number: 1.49 – 1.72          Focal Length: 16.90 – 20.28 mm          Zoom Ratio: 1 – 1.2          Throw Ratio: 1.48 – 1.77 (Wide to Tele)</p>		2	UNITS		
<b>Purpose: For official use of Department of Education, this city. (LOT 1-2)</b>						

*Brand and Model* : \_\_\_\_\_  
*Delivery Period* : \_\_\_\_\_  
*Warranty* : \_\_\_\_\_  
*Price Validity* : \_\_\_\_\_

After having carefully read and accepted your General Conditions, I/We quote you on the item at prices noted above.

---

*Printed Name / Signature*

---

*Tel. No. / Cellphone No.  
e-mail address*

---

*Date*