

INVITATION TO BID FOR

Other Transportation Equipment

(Name of Project

- The CITY GOVERNMENT OF ZAMBOANGA, through the AB FY 2023 intends to apply the sum of FIVE MILLION PESOS (P5,000,000.00) ONLY being the Approved Budget for the Contract (ABC) to payments under the contract for Other Transportation Equipment (PR No. 300-23-05-1128). Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The CITY GOVERNMENT OF ZAMBOANGA now invites bids for the **2** units **ALS** Ambulance. Delivery of the GOODS is required by Ninety (90) Calendar Days. Bidders should have completed within a period of ten (10) years from the date of submission and receipt of bids, a contract similar to the Project, with a value of at least (50%) of the ABC and to meet other eligibility requirements stated in the Eligibility Documents. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184.

 Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
- 4. Prospective Bidders may obtain further information from CITY GOVERNMENT OF ZAMBOANGA in the Office of the City Mayor-Procurement, Acquisition and Awards Division (CMO-PAAD) and inspect the Bidding Documents at the address given below during 8:00 AM to 5:00 PM.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on <u>July 27, 2023 to August 16, 2023</u> from the given address and website/s below and upon payment of a non-refundable fee for the Bidding Documents, pursuant to the latest guidelines issued by the GPPB, in the amount of <u>P5,000.00</u>. The method of payment will be <u>Cash payable to the City Treasurer's Office</u>. The Bidding Documents shall be received personally by the Prospective Bidder or his/her authorized representative. The Procuring Entity shall allow the bidder to present its proof of payment for the fees "machine copy of the official receipt" not later than the submission of their bids.
- 6. The CITY GOVERNMENT OF ZAMBOANGA will hold a Pre-bid Conference on <u>August 03, 2023 at 10:00 AM</u> at Office of the City Mayor Procurement, Acquisition and Awards Division (CMO-PAAD), Conference Room, Villalobos St., Zamboanga City, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission on or before <u>August 16, 2023 at 10:00 AM</u> at Office of the City Mayor Procurement, Acquisition and Awards Division (CMO-PAAD), Conference Room, Villalobos St., Zamboanga City. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a Bid Security in any of the acceptable forms and in the amount stated in ITB Clause 14.
 - All Bids must be accompanied by a Bid Security which shall be a **Bid Securing Declaration or** at least one other form of the following: cash, cashier's/manager's check, bank draft/guarantee confirmed by a Universal/Commercial Bank, Irrevocable Letter of Credit issued by a Universal/Commercial Bank or from other bank certified by the Bangko Sentral ng Pilipinas as authorized to issue such financial instrument, provided however that it shall be confirmed or authenticated by a Universal/Commercial Bank if issued by a foreign bank in the amount of **P100,000.00** or Surety Bond callable upon demand issued by a Surety or Insurance Company duly certified by the Insurance Commission as authorized to issue such security in the amount of **P250,000.00** or any combination of the foregoing in the amount proportionate to share of form with respect to total amount of security.

The Bid Security shall be denominated in Philippine Pesos and posted in favor of the Procuring Entity.

Bidders are required to indicate the BRAND NAME and/or NAME OF MANUFACTURER of GOODS offered/quoted, when appropriate.

- 9. Bid opening shall be on **August 16, 2023 at 10:00 AM** at Office of the City Mayor Procurement, Acquisition and Awards Division (CMO-PAAD), Conference Room, Villalobos St., Zamboanga City. Bids will be opened in the presence of the bidder's representatives who choose to attend the activity.
- 10. To be delivered in the Office of the City Health Office
- 11. The CITY GOVERNMENT OF ZAMBOANGA reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 35.6 and 41 of the 2016 revised Implementing Rules or Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. Bidders are advised to use the BID FORM at the back of this ITB. Failure to do so would lead to non-acceptance of the bid.
- **13.** For Further information please refer to:

RONALD A. VICETE

BAC Secretariat
Office of the City Mayor - Procurement, Acquisition and Awards Division
Villalobos Street Tamboanga City

zcbac.sec@gmail.com Tel. No. (062) 992-7763 ATTY. ALEXANDER ERIC F. ELIAS

BAC Chairperson



BID FORM

Date:	 	 	

	NMENT OF ZAMBOANGA Street ZAMBOANGA CITY
Numbers Goods	examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers including Bid Bulletin 23-0727-0131 the receipt of which is hereby duly acknowledge, we, the undersigned, offer to supply/deliver/perform Other Equipment in conformity with the said Philippine Bidding Documents (PBDs) for the sum of
	(total Bid amount in words and figures)
Schedules attache	ated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price and herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the e.g. (i) value added tax (VAT), (ii) income tax' (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein ledules,
if our Bio	d is accepted, we undertake:
a.	To deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
b.	To provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
C.	To abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon as at any time before the expiration of that period.
Commis	nis paragraph if Foreign-Assisted Project with the Development Partner: sions or gratuities, if any, paid, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are act, are listed below:
Name and addres	s Amount and Purpose of agent Currency Commission or gratuity
(if none, state "No	ne")]
Until a f shall be binding up	ormal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, oon us.
We und	erstand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.
We cert	fy/confirm that we comply with the eligibility requirements pursuant to the PBDs.
The und	ersigned is authorized to submit the bid on behalf of(name of bidder)
as evidenced by the	
	(state the written authority)
We ack ground for the reje	nowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ection of our bid.
Name:	
Legal Capacity: _	
Signature:	
Duly authorized to	sign the Bid for and behalf of:

PRICE SCHEDULE FOR GOODS

Name of Bidder ______ Solicitation No.: **Goods 23-0727-0131** Page 1 of 2

1	2		3	4		5	6	7	8	9	10
Item	Description		Country of origin	Quan	tity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
1.	ALS AMBULANCE			2	Units						
	Specifications: Body Type: Transmission Type: Engine Size: Displacement: Number of Cylinders: Number of Valves: Transmission Category: Drive Train Rear Max Output (HP): Max Torque (nm): Fuel Type: Fuel Capacity: Length: Width: Height: INCLUSIONS AND SPECIFICAT "AMBULANCE" decals all sides (Lot Black Tinted) Checkered Plate Stainless Steel Mattifuorescent Lamp	ogo of end users &	rpm JLANCE	·)		Stainless R 3 seater wit 12 pcs. – L 01 unit – M 01 unit – Pc 15 pcs. – O 02 pcs. – B 04 pcs. – E 10 pcs. – A 01 set – Ne 01 set – La 01 set – De 02 sets – M Cuff) 02 pcs. – Si 01 pc. – Fii 01 pc. – Sta 01 set – En 02 sets – St	umper Approach amp Approach th storage, seatbe aryngeal Mask A founted Oxygen Oxygen Oxygen Mask No ag Valve Mask I ndotracheal Tubirways (Pedia & bulizer and Nebryngoscope Set (afibrillator Pads I founted and Portethoscope and Padding or Coverter Power Sounded Cabinets with the company of the Cabinets with the company of the company	elt & Backrest Airways (LMA Cylinder (at le Cylinder with l . 2, 3, 4 (newb Resuscitator w e (Pedia & Ad Adult) ulizer Kit (Pedia & Adult) Disposable able Sphygmo ommercial hea arce at least 30 th spineboard l ag Light Syster s and Accessor	east 20 lbs) Regulator (Yoke typorn, infant, adult) ith Rebreather Bag fult) t) manometer, Non-Mond Immobilization De	For Adults and Pece ercurial (Pediatric evice transparent closur Address System k)	Cuff and Adult
Purpose	For official use in the office of the City Health										

Name: ______
Legal Capacity: _____
Signature: _____
Duly authorized to sign the Bid for and behalf of: ______

Pate:

PRICE SCHEDULE FOR GOODS

Name of Bidder ______ Solicitation No.: **Goods 23-0727-0131** Page 2 of 2

1	2	3	4	5	6	7	8	9	10			
Item	Description	Country of	Quantity	Unit price	Transportation	Sales and	Cost of Incidental	Total Price, per	Total Price			
		origin		Exw per	and all other	other taxes	Services, if	unit	delivered			
				item	costs incidental	payable if	applicable, per item	(Col 5+6+7+8)	Final Destination			
					to delivery, per	Contract is			(Col.9) x (col 4)			
					item	awarded, per						
						item						
	01 set – Lower Extremity Traction Device (Supporting Strin			02 pcs Heav	y Bandage or Par	amedic Scissors	for cutting clothes and	l belt				
	01 set – Upper and Lower Extremity Immobilization Device		nts)	01 box Alco								
	05 pcs. – Joint Above and Joint below fracture (SAM Splints				ot & Cold Packs of		nt					
	03 pcs. – Resistant straps or cravats (Spider straps if possible				ight LED with Ba							
	01 p/each – Orthopaedic (Scoop) Stretcher & Long Backboa				tet Sheets, Linen							
	01 p/each – Safety Non-Porous Partition (separating the driv	er & the body o	of the ambulance)		w, Pillow Case an	d Towels						
	01 unit – Electric (internal & external) supply bulbs			01 pc Bed P								
	01 p/each – IV Administration Set (Macro/Micro)			01 pc Urinal								
	02 p/each – IV Cannula (G16, 20, 21, 23, 25, 26)				ed Handheld Rad	io						
	02 p/each Syringes (50ml, 30ml, 10ml, 3ml, 1ml)				10 packs Lubricating Jelly							
	10 unit – IV Fluids				01 pc Cellular Phone							
	1 lot – Medicines for Advance Cardiovascular Life Support			01 pc Ambulance fully collapsible stretcher with locking mechanism								
	10 pcs – Triangular Bandage			01 pc Short Backboard Vest Type Extrication Device								
	03 boxes – Sterile Dressings			01 pc Fire Extinguisher								
	02 rolls – Sterile Gauze Rolls (various sizes)			01 pc Stair Chair								
	50 pcs – Non-sterile elastic bandages			01 pc Traum		CI II . (AED		C 1: M :	'.1 D ('1 '11 ')			
	05 pcs – Sterile Occlusive Dressing 3'x8' or larger					fibrillator (AED) (if applying for ALS	-Cardiac Monitor w	ith Defibrillator)			
	20 pcs – Adhesive Tape Roll				n tank holder							
	01 set – Obstetric Delivery Set (Sterile Delivery Kit)			01 pc Minor surgical kit 01 manual resuscitator (self-inflating bag) adult and pedia								
	01 set – Wrap blanket for Newborn	. C 1.1 . 1.1 . 1					iit and pedia					
	05 pcs – Eye Protection (full peripheral glasses or goggles of 01 lot – HEPA Masks/Surgical Masks	r face shields)			ars LTO Registrate GSIS Insurance	tion						
	05 boxes – Non-Sterile/Sterile Gloves			DOH Accre								
				DOH Accre	шаноп							
	05 pcs Jumpsuits or Gowns (Medical Grade) 05 pcs Shoe Covers			Note:								
	05 pcs Shoe Covers 05 pcs Hand Sanitizers or 70% Alcohol				st have a service f	Facility in Zamb	oongo City					
	01 pc Sharps Container (Puncture Proof)			Supplier illu	si mave a service i	acinty in Zailio	Janga City.					
1	01 set – Blood Glucose Meter with Strips											
	02 pcs – Thermometer Non Mercurial											
Purnose	: For official use in the office of the City Health											
i dipose	To official asc in the office of the oity freath											

Name.	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

SCHEDULE OF REQUIREMENTS

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site

1. ALS AMBULANCE Specifications: Body Type: Transmission Type: Manual Engine Size: 3.0L Displacement: 2,982cc Number of Cylinders: 4 Number of Cylinders: 4 Number of Valves: 16 Transmission Category: 5-Speed Manual Drive Train Rear Wheel Drive Max Output (HP): 136 hp @3,400 pm Max Torque (nm): 300 Nm @2,400 pm Max Torque (nm): 300 Nm @2,400 pm Fuel Type: Diesel Fuel Capacity: 70L Length: 4.695 mm Width: 1.695 mm Height: 1,980 mm INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE" "AMBULANCE" decals all sides (Logo of end users & Star of Life) Black Tinted Checkered Plate Stainless, Steel Matting Fluorescent Lamp 1.V. Hook with Strap Stainless Bumper Approach Stainless Ramp Approach Ol unit – Mounted Oxygen Cylinder (at least 20 lbs) Ol unit – Fortable Oxygen Cylinder (at least 20 lbs) Ol unit – Fortable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. – Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) Ol 2 pcs. – Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia O4 pcs. – Endotrachal Tube (Pedia & Adult) O1 pcs. – Ariways (Pedia & Adult) O1 pcs. – Ariways (Pedia & Adult) O1 set – I-aryngoscope Set (Pedia & Adult) O1 set – I-aryngoscope Set (Pedia & Adult) O1 set – Defibrillator Pads Disposable O2 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) O2 pcs. – Stethoscope O1 pc. – Firm Padding or Commercial head Immobilization Device O1 pc. – Inverter Power Source at least 3000W O1 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures O1 set – Steele Cabinets with spineboard holder, partitions & transparent closures O1 set – Steele Cabinets with spineboard holder, partitions & transparent closures O1 set – Steele Cabinets with spineboard holder, partitions & transparent closures O1 set – Steele Cabinets with spineboard holder, partitions & transparent closures O1 set – Steele Cabinets with spineboard holder,	Delivered, ays/Weeks/Months	Total	ntity	Qua	tion	Descriț	Item Number
Specifications: Boty Type: Van Transmission Type: Manual Engine Size: 3.01. Displacement: 2.982cc Number of Cylinders: 4 Number of Gylinders: 4 Number of Cylinders: 5-Speed Manual Drive Train Rear Wheel Drive Max Output (HP): 136 hp @3.400 rpm Max Torque (mm): 300 Nm @2.400 rpm Max Torque (mm): 300 Nm @2.400 rpm Fuel Type: Dissel Fuel Capacity: 701. Length: 4.695 mm Width: 1.695 mm Height: 1.980 mm INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE" "AMBULANCE "			Units	02		ALS AMBULANCE	1.
Transmission Type: Manual Engine Size: 3.0L Displacement: 2,982cc Number of Cylinders: 4 Number of Cylinders: 4 Number of Cylinders: 16 Transmission Category: 5-Speed Manual Drive Train Rear Wheel Drive Max Output (HP): 136 hp @3,400 rpm Max Torque (nm): 300 Nm @2,400 rpm Fuel Type: Diesel Fuel Capacity: 70L Length: 4,695 mm Width: 1,695 mm Height: 1,980 mm INCLUSIONS AND SPECIFICATIONS per AMBULANCE: decals all sides (Logo of end users & Star of Life) Black Timed Checkerod Plate Stainless Steel Matting Fluorescent Lamp LV. Hook with Strap Stainless Bumper Approach Stainless Ramp Approach Stainless Ramp Approach 3 seater with storage, seatbelt & Backrest 12 pcs Laryngeal Mask Airways (LMA) 01 unit - Mounted Oxygen Cylinder (at least 20 lbs) 01 unit - Portable Oxygen Cylinder (at least 20 lbs) 01 unit - Portable Oxygen Cylinder (at least 20 lbs) 01 unit - Portable Coxygen Cylinder (at least 20 lbs) 01 unit - Portable Coxygen Cylinder (at least 20 lbs) 01 unit - Seater with storacheal Tube (Pedia & Adult) 02 pcs Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. Endotracheal Tube (Pedia & Adult) 01 pcs Airways (Pedia & Adult) 01 pcs Airways (Pedia & Adult) 01 pcs Airways (Pedia & Adult) 01 set - Lebulizer kit 01 set - Laryngoscope Set (Pedia & Adult) 01 pcs Stable Cabinets with spineboard holder, partinos & transparent closures 01 pc Inverter Power Source at least 3000W 01 pc Stable Cabinets with spineboard holder, partinos & transparent closures 01 set - Emergency Warning Light System and Siren- Public Address System			CIII	٠ -			
Engine Size: 3.0L Displacement: 2.982cc Number of Cylinders: 4 Number of Valves: 16 Transmission Category: 5-Speed Manual Drive Train Rear Wheel Drive Max Output (HP): 13 for p@3,400 rpm Max Torque (nm): 300 Nm @2,400 rpm Max Torque (nm): 300 Nm @2,400 rpm Fuel Type: Diesel Fuel Capacity: 70L Length: 4,695 mm Height: 1,980 mm INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE" decals all sides (Logo of end users & Star of Life) Black Timed Checkered Plate Stainless Steel Matting Fluorescent Lamp I.V. Hook with Strap Stainless Bumper Approach Stainless Ramp Approach Stainless Ramp Approach 3 seater with storage, seatibel & Backrest 12 pes. — Laryngeal Mask Airways (LMA) 01 unit — Mounted Oxygen Cylinder (at least 20 lbs) 01 unit — Portable Oxygen Cylinder (at least 20 lbs) 01 unit — Portable Oxygen Cylinder (at least 20 lbs) 01 unit — Sounder (about 1) 15 pes. — Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pes. — Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pes. — Endortacheal Tube (Pedia & Adult) 01 pes. — Airways (Pedia & Adult) 01 set — Leryngoscope Sct (Pedia & Adult) 01 set — Leryngoscope Sct (Pedia & Adult) 01 set — Leryngoscope Sct (Pedia & Adult) 02 pes. — Steelonscope 01 pe. — Firm Padding or Commercial head Immobilization Device 01 pe. — Inverter Power Source at least 3000W 01 pe. — Stable Cabinets with spineboard holder, partitions & transparent closures 01 set — Lerrngency Warning Light System and Siren- Public Address System					Van	Body Type:	
Displacement: 2,982c Number of Cylinders: 4 Number of Cylinders: 16 Transmission Category: 5-Speed Manual Drive Train Rear Max Output (HP): 136 hp @3.400 rpm Max Torque (nm): 300 Nm @2.400 rpm Fuel Type: Diesel Fuel Capacity: 70L Length: 4,695 mm Width: 1,695 mm Height: 1,980 mm Height: 1,980 mm Hispan Function Rear MBULANCE Advantage Rear of Life Black Tinted Checkered Plate Stainless Steel Matting Fluorescent Lamp I.V. Hook with Strap Stainless Bumper Approach Stainless Ramp Approach 3 senter with storage, seatbelt & Backrest 12 pes Laryngeal Mask Airways (LMA) 01 unit - Mounted Oxygen Cylinder (at least 20 lbs) 01 unit - Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pes Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pes Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pes Endotracheal Tube (Pedia & Adult) 10 pes Airways (Pedia & Adult) 01 oset - Nebulizer and Nebulizer Kit 01 set - Nebulizer and Nebulizer Kit 01 set - Defibrillator Pads Disposable 02 sets - Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pes Stethoscope 01 pc Firm Padding or Commercial head Immobilization Bevice 01 pc Inwerter Power Source at least 3000W 01 pc Stable Cabinets with spineboard holder, partitions & transparent closures 01 set - Emergency Warning Light System and Siren- Public Address System					Manual	Transmission Type:	
Number of Valves: 4 Number of Valves: 16 Transmission Category: 5-Speed Manual Drive Train Rear Wheel Drive Max Output (IHP): 136 hp @3,400 rpm Max Torque (mm): 300 Nm @2,400 rpm Fuel Type: Diesel Fuel Capacity: 70L Length: 4,695 mm Width: 1,695 mm Width: 1,695 mm Height: 1,980 mm INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE" decals all sides (Logo of end users & Star of Life) Black Tinted Checkered Plate Stainless Steel Matting Fluorescent Lamp 1.V. Hook with Strap Stainless Bumper Approach Stainless Bumper Approach Stainless Bumper Approach Stainless Ramp Approach Ol unit - Mounted Oxygen Cylinder (at least 20 lbs) Ol unit - Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pes Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pes Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pes Endotracheal Tube (Pedia & Adult) 10 pes Airways (Pedia & Adult) 10 set - Nebulizer and Nebulizer Kit 01 set - Laryngoscope Set (Pedia & Adult) 10 set - Nebulizer and Nebulizer Kit 01 set - Defiritlator Pads Disposable 02 sets - Mounted and Portable Sphygnomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pes Stethoscope 01 pc Firm Padding or Commercial head Immobilization Bevice 01 pc Inverter Power Source at least 3000W 01 pc Stable Cabinets with spineboard holder, partitions & transparent closures 01 set - Emergency Warning Light System and Siren- Public Address System					3.0L		
Number of Valves: 16 Transmission Category: 5-Speed Manual Drive Train Rear Max Output (IHP): 136 hp @3.400 rpm Max Torque (mm): 300 Nm @2.400 rpm Fuel Type: Diesel Fuel Capacity: 701. Length: 4,695 mm Width: 1.095 mm Height: 1,980 mm Height: 1,980 mm Height: 1,980 mm INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE" decals all sides (Logo of end users & Star of Liffe) Black Tinted Checkered Plate Stainless Steel Matting Fluorescent Lamp 1.V. Hook with Strap Stainless Bumper Approach Stainless Ramp Approach Stainless Ramp Approach 3 seater with storage, seatbelt & Backrest 12 pes. — Lavyngeal Mask Airways (LMA) 01 unit — Mounted Oxygen Cylinder (at least 20 lbs) 01 unit — Fortable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pes. — Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pes. — Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pes. — Endotracheal Tube (Pedia & Adult) 10 pes. — Airways (Pedia & Adult) 01 set — Nebulizer and Nebulizer Kit 01 set — Lavyngoscope Set (Pedia & Adult) 01 set — Deithrillator Pads Disposable 02 sets — Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pes. — Stethoscope 01 pe. — Firm Padding or Commercial head Immobilization Device 01 pe. — Inverter Power Source at least 3000W 01 pe. — Stable Cabinets with spineboard holder, partitions & transparent closures 01 set — Emergency Warning Light System and Siren- Public Address System					2,982cc	Displacement:	
Transmission Category: 5-Speed Manual Drive Train Rear Max Output (HP): Max Torque (mm): 300 Nm @2,400 rpm Fuel Type: Diesel Fuel Capacity: 70L Length: 4,695 mm Width: 1,695 mm Height: 1,980 mm INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE" decals all sides (Logo of end users & Star of Life) Black Tinted Checkered Plate Stainless Steel Matting Fluorescent Lamp LV. Hook with Strap Stainless Bumper Approach Stainless Bumper Approach Stainless Ramp Approach 3 seater with storage, seatbelt & Backrest 12 pcs. — Laryngeal Mask Airways (LMA) 01 unit — Mounted Oxygen Cylinder (at least 20 lbs) 01 unit — Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. — Caygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. — Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. — Endotracheal Tube (Pedia & Adult) 10 pcs. — Airways (Pedia & Adult) 01 ost — Nebulizer and Nebulizer Kit 01 set — Laryngoscope Set (Pedia & Adult) 01 set — Delibrillator Pads Disposable 02 sets — Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. — Stethoscope 01 pc. — Firm Padding or Commercial head Immobilization Device 01 pc. — Inverter Power Source at least 3000W 01 pc. — Stable Cabinets with spineboard holder, partitions & transparent closures 01 set = Emergency Warning Light System and Siren- Public Address System					4		
Drive Train Rear Wheel Drive Max Output (HP): 136 hp @3,400 rpm Max Torque (nm): 300 Nm @2,400 rpm Fuel Type: Diese! Fuel Capacity: 70L Length: 4,695 mm Width: 1,695 mm Height: 1,980 mm INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE "AMBULANCE "AMBULANCE "AMBULANCE "AMBULANCE "Black Tinted Checkered Plate Stainless Steel Matting Fluorescent Lamp 1.V. Hook with Strap Stainless Bumper Approach Stainless Bumper Approach Stainless Bumper Approach 3 seater with storage, seatbelt & Backrest 12 pcs. — Laryngeal Mask Airways (LMA) 01 unit — Mounted Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. — Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. — Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. — Endotracheal Tube (Pedia & Adult) 10 pcs. — Airways (Pedia & Adult) 11 pcs. — Airways (Pedia & Adult) 11 pcs. — Airways (Pedia & Adult) 11 pcs. — Fundarys (Pedia & Adult) 11 pcs. — Fundarys (Pedia & Adult) 11 pcs. — Fundary (Pedia & Fu							
Max Output (HP): 136 bp @3.400 rpm Max Torque (nm): 300 Nm @2.400 rpm Fuel Type: Diosel Fuel Capacity: 70L Length: 4,695 mm Width: 1,695 mm Height: 1,980 mm INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE" "AMBULANCE" "AMBULANCE" "AMBULANCE" "AMBULANCE" "AMBULANCE" "AMBULANCE" "AMBULANCE" "AIMBULANCE" "AIMBULANCE "AIMBULANCE" "AIMBULANCE "AIMBULANCE "AIMBULANCE						0 •	
Max Torque (nm): 300 Nm @2,400 rpm Fuel Type: Diesel Fuel Capacity: 70L Length: 4,695 mm Width: 1,695 mm Height: 1,980 mm INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE" decals all sides (Logo of end users & Star of Life) Black Trinted Checkered Plate Stainless Steel Matting Fluorescent Lamp LV. Hook with Strap Stainless Bumper Approach Stainless Ramp Approach 3 seater with Storage, scatbelt & Backrest 12 pcs. − Laryngeal Mask Airways (LMA) 01 unit − Mounted Oxygen Cylinder (at least 20 lbs) 01 unit − Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. − Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. − Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. − Endotracheal Tube (Pedia & Adult) 10 pcs. − Airways (Pedia & Adult) 01 set − Nebulizer and Nebulizer Kit 01 set − Defibrillator Pads Disposable 02 sets − Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. − Stethoscope 01 pc. − Firm Padding or Commercial head Immobilization Device 01 pc. − Inverter Power Source at least 3000W 01 pc. − Stable Cabinets with spineboard holder, partitions & transparent closures 01 set − Emergency Warning Light System and Siren- Public Address System							
Fuel Capacity: 70L Length: 4,695 mm Width: 1,695 mm Height: 1,980 mm INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE" decals all sides (Logo of end users & Star of Life) Black Tinted Checkered Plate Stainless Steel Matting Fluorescent Lamp LV. Hook with Strap Stainless Bumper Approach Stainless Bumper Approach Stainless Bumper Approach 3 seater with storage, seatbelt & Backrest 12 pes. — Laryngeal Mask Airways (LMA) 01 unit — Mounted Oxygen Cylinder (at least 20 lbs) 01 unit — Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pes. — Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pes. — Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pes. — Endotracheal Tube (Pedia & Adult) 10 pes. — Airways (Pedia & Adult) 01 set — Nebulizer and Nebulizer Kit 01 set — Leryngoscope Set (Pedia & Adult) 01 set — Defibrillator Pads Disposable 02 sets — Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pes. — Stethoscope 01 pc. — Firm Padding or Commercial head Immobilization Device 01 pc. — Inverter Power Source at least 3000W 01 pe. — Stable Cabinets with spineboard holder, partitions & transparent closures 01 set — Emergency Warning Light System and Siren- Public Address System						- , ,	
Fuel Capacity: 70L Length: 4.695 mm Width: 1,695 mm Height: 1,980 mm INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE" decals all sides (Logo of end users & Star of Life) Black Tinted Checkered Plate Stainless Steel Matting Fluorescent Lamp LV. Hook with Strap Stainless Bumper Approach Stainless Ramp Approach 3 seater with storage, seatbelt & Backrest 12 pcs. – Laryngeal Mask Airways (LMA) 01 unit – Mounted Oxygen Cylinder (at least 20 lbs) 01 unit – Portable Oxygen Cylinder (at least 20 lbs) 01 unit – Portable Oxygen Cylinder (at least 20 lbs) 01 up experience of the proper o							
Length: 4,695 mm Width: 1,695 mm Height: 1,980 mm INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE" decals all sides (Logo of end users & Star of Life) Black Tinted Checkered Plate Stainless Steel Matting Fluorescent Lamp I.V. Hook with Strap Stainless Bumper Approach Stainless Bumper Approach 3 seater with storage, seatbelt & Backrest 12 pes. – Laryngeal Mask Airways (LMA) 01 unit – Mounted Oxygen Cylinder (at least 20 lbs) 01 unit – Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pes. – Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pes. – Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pes. – Endotracheal Tube (Pedia & Adult) 10 pes. – Airways (Pedia & Adult) 01 set – Nebulizer Ain Nebulizer Kit 01 set – Leryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pes. – Stethoscope 01 pe. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System							
Width: 1,695 mm Height: 1,980 mm INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE" decals all sides (Logo of end users & Star of Life) Black Tinted Checkered Plate Stainless Steel Matting Fluorescent Lamp I.V. Hook with Strap Stainless Bumper Approach Stainless Ramp Approach 3 seater with storage, seatbelt & Backrest 12 pcs. – Laryngeal Mask Airways (LMA) 01 unit – Mounted Oxygen Cylinder (at least 20 lbs) 01 unit – Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. – Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. – Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. – Endotracheal Tube (Pedia & Adult) 10 pcs. – Airways (Pedia & Adult) 01 set – Nebulizer and Nebulizer Kit 01 set – Lerlyngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stethoscope 10 pc. – Inverter Power Source at least 3000W 01 pc. – Stethoscope 10 pc. – Emergency Warning Light System and Siren- Public Address System							
INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE" decals all sides (Logo of end users & Star of Life) Black Tinted Checkered Plate Stainless Steel Matting Fluorescent Lamp 1.V. Hook with Strap Stainless Bumper Approach Stainless Ramp Approach Stainless Ramp Approach 3 seater with storage, seatbelt & Backrest 12 pes. – Laryngeal Mask Airways (LMA) 01 unit – Mounted Oxygen Cylinder (at least 20 lbs) 01 unit – Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pes. – Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pes. – Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pes. – Endotracheal Tube (Pedia & Adult) 10 pes. – Airways (Pedia & Adult) 01 set – Nebulizer and Nebulizer Kit 01 set – Laryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pes. – Stethoscope 01 pe. – Firm Padding or Commercial head Immobilization Device 01 pe. – Inverter Power Source at least 3000W 01 pe. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System							
INCLUSIONS AND SPECIFICATIONS per AMBULANCE "AMBULANCE" decals all sides (Logo of end users & Star of Life) Black Tinted Checkered Plate Stainless Steel Matting Fluorescent Lamp I.V. Hook with Strap Stainless Bumper Approach Stainless Ramp Approach 3 seater with storage, seatbelt & Backrest 12 pcs. – Laryngeal Mask Airways (LMA) 01 unit – Mounted Oxygen Cylinder (at least 20 lbs) 01 unit – Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. – Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. – Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. – Endotracheal Tube (Pedia & Adult) 10 pcs. – Airways (Pedia & Adult) 01 set – Nebulizer and Nebulizer Kit 01 set – Laryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Irmerter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System							
AMBULANCE "AMBULANCE" & Star of Life) Black Tinted Checkered Plate Stainless Steel Matting Fluorescent Lamp I.V. Hook with Strap Stainless Bumper Approach Stainless Bumper Approach Stainless Ramp Approach 3 seater with storage, seatbelt & Backrest 12 pcs. — Laryngeal Mask Airways (LMA) 01 unit — Mounted Oxygen Cylinder (at least 20 lbs) 01 unit — Mounted Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. — Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. — Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. — Endotracheal Tube (Pedia & Adult) 10 pcs. — Airways (Pedia & Adult) 01 set — Nebulizer and Nebulizer Kit 01 set — Laryngoscope Set (Pedia & Adult) 01 set — Defibrillator Pads Disposable 02 sets — Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. — Stethoscope 01 pc. — Irim Padding or Commercial head Immobilization Device 01 pc. — Inverter Power Source at least 3000W 01 pc. — Stable Cabinets with spineboard holder, partitions & transparent closures 01 set — Emergency Warning Light System and Siren- Public Address System					1,980 mm	Height:	
Fluorescent Lamp I.V. Hook with Strap Stainless Bumper Approach Stainless Ramp Approach 3 seater with storage, seatbelt & Backrest 12 pcs. — Laryngeal Mask Airways (LMA) 01 unit — Mounted Oxygen Cylinder (at least 20 lbs) 01 unit — Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. — Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. — Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. — Endotracheal Tube (Pedia & Adult) 10 pcs. — Airways (Pedia & Adult) 01 set — Nebulizer and Nebulizer Kit 01 set — Laryngoscope Set (Pedia & Adult) 01 set — Defibrillator Pads Disposable 02 sets — Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. — Stethoscope 01 pc. — Firm Padding or Commercial head Immobilization Device 01 pc. — Inverter Power Source at least 3000W 01 pc. — Stable Cabinets with spineboard holder, partitions & transparent closures 01 set — Emergency Warning Light System and Siren- Public Address System					•	AMBULANCE "AMBULANCE" decals all s & Star of Life)	
Fluorescent Lamp I.V. Hook with Strap Stainless Bumper Approach Stainless Ramp Approach 3 seater with storage, seatbelt & Backrest 12 pcs. — Laryngeal Mask Airways (LMA) 01 unit — Mounted Oxygen Cylinder (at least 20 lbs) 01 unit — Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. — Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. — Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. — Endotracheal Tube (Pedia & Adult) 10 pcs. — Airways (Pedia & Adult) 01 set — Nebulizer and Nebulizer Kit 01 set — Laryngoscope Set (Pedia & Adult) 01 set — Defibrillator Pads Disposable 02 sets — Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. — Stethoscope 01 pc. — Firm Padding or Commercial head Immobilization Device 01 pc. — Inverter Power Source at least 3000W 01 pc. — Stable Cabinets with spineboard holder, partitions & transparent closures 01 set — Emergency Warning Light System and Siren- Public Address System					el Matting	Checkered Plate Stainless Ste	
Stainless Bumper Approach Stainless Ramp Approach 3 seater with storage, seatbelt & Backrest 12 pcs. — Laryngeal Mask Airways (LMA) 01 unit — Mounted Oxygen Cylinder (at least 20 lbs) 01 unit — Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. — Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. — Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. — Endotracheal Tube (Pedia & Adult) 10 pcs. — Airways (Pedia & Adult) 01 set — Nebulizer and Nebulizer Kit 01 set — Laryngoscope Set (Pedia & Adult) 01 set — Defibrillator Pads Disposable 02 sets — Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. — Stethoscope 01 pc. — Firm Padding or Commercial head Immobilization Device 01 pc. — Inverter Power Source at least 3000W 01 pc. — Stable Cabinets with spineboard holder, partitions & transparent closures 01 set — Emergency Warning Light System and Siren-Public Address System					C		
Stainless Ramp Approach 3 seater with storage, seatbelt & Backrest 12 pcs. – Laryngeal Mask Airways (LMA) 01 unit – Mounted Oxygen Cylinder (at least 20 lbs) 01 unit – Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. – Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. – Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. – Endotracheal Tube (Pedia & Adult) 10 pcs. – Airways (Pedia & Adult) 01 set – Nebulizer and Nebulizer Kit 01 set – Laryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System						I.V. Hook with Strap	
3 seater with storage, seatbelt & Backrest 12 pcs. – Laryngeal Mask Airways (LMA) 01 unit – Mounted Oxygen Cylinder (at least 20 lbs) 01 unit – Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. – Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. – Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. – Endotracheal Tube (Pedia & Adult) 10 pcs. – Airways (Pedia & Adult) 01 set – Nebulizer and Nebulizer Kit 01 set – Laryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren-Public Address System						Stainless Bumper Approach	
12 pcs. – Laryngeal Mask Airways (LMA) 01 unit – Mounted Oxygen Cylinder (at least 20 lbs) 01 unit – Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. – Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. – Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. – Endotracheal Tube (Pedia & Adult) 10 pcs. – Airways (Pedia & Adult) 01 set – Nebulizer and Nebulizer Kit 01 set – Laryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System						Stainless Ramp Approach	
01 unit – Mounted Oxygen Cylinder (at least 20 lbs) 01 unit – Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. – Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. – Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. – Endotracheal Tube (Pedia & Adult) 10 pcs. – Airways (Pedia & Adult) 01 set – Nebulizer and Nebulizer Kit 01 set – Laryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren-Public Address System					& Backrest	3 seater with storage, seatbel	
01 unit – Portable Oxygen Cylinder with Regulator (Yoke type regulator) 15 pcs. – Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. – Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. – Endotracheal Tube (Pedia & Adult) 10 pcs. – Airways (Pedia & Adult) 01 set – Nebulizer and Nebulizer Kit 01 set – Laryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System							
(Yoke type regulator) 15 pcs. – Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. – Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. – Endotracheal Tube (Pedia & Adult) 10 pcs. – Airways (Pedia & Adult) 01 set – Nebulizer and Nebulizer Kit 01 set – Laryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren-Public Address System							
15 pcs. – Oxygen Mask No. 2, 3, 4 (newborn, infant, adult) 02 pcs. – Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. – Endotracheal Tube (Pedia & Adult) 10 pcs. – Airways (Pedia & Adult) 01 set – Nebulizer and Nebulizer Kit 01 set – Laryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren-Public Address System					linder with Regulator		
02 pcs. – Bag Valve Mask Resuscitator with Rebreather Bag for Adults and Pedia 04 pcs. – Endotracheal Tube (Pedia & Adult) 10 pcs. – Airways (Pedia & Adult) 01 set – Nebulizer and Nebulizer Kit 01 set – Laryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren-Public Address System					2, 3, 4 (newborn, infant,	15 pcs. – Oxygen Mask No. 2	
04 pcs. – Endotracheal Tube (Pedia & Adult) 10 pcs. – Airways (Pedia & Adult) 01 set – Nebulizer and Nebulizer Kit 01 set – Laryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren-Public Address System						02 pcs. – Bag Valve Mask Re	
10 pcs. – Airways (Pedia & Adult) 01 set – Nebulizer and Nebulizer Kit 01 set – Laryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System							
01 set – Nebulizer and Nebulizer Kit 01 set – Laryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System							
01 set – Laryngoscope Set (Pedia & Adult) 01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren-Public Address System							
01 set – Defibrillator Pads Disposable 02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System							
02 sets – Mounted and Portable Sphygmomanometer, Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System							
Non-Mercurial (Pediatric Cuff and Adult Cuff) 02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System							
02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System					1 00		
01 pc. – Firm Padding or Commercial head Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System					r and riddit Carry		
Immobilization Device 01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System					nmercial head		
01 pc. – Inverter Power Source at least 3000W 01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System							
01 pc. – Stable Cabinets with spineboard holder, partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System					ce at least 3000W		
partitions & transparent closures 01 set – Emergency Warning Light System and Siren- Public Address System							
01 set – Emergency Warning Light System and Siren- Public Address System							
Public Address System							
					J J 2 22-2-2		
**					nd Accessories (Portable		
& Stock)					`		
06 pcs. – Cervical Collars (Small, Medium, Large) if					nall, Medium, Large) if	· ·	
possible, X-Collars (Latest & better for C-Spine							
stabilization)						stabilization)	
01 set – Lower Extremity Traction Device (Supporting							
Strings, Sling, Traction Straps)							
01 set – Upper and Lower Extremity Immobilization					tremity Immobilization		
Device (Vacuum Splints)							
05 pcs. – Joint Above and Joint below fracture (SAM					nt below fracture (SAM		
Splints)							
03 pcs. – Resistant straps or cravats (Spider straps if					ravats (Spider straps if		
possible)							
01 p/each – Orthopedic (Scoop) Stretcher & Long					p) Stretcher & Long	01 p/each – Orthopedic (Scoo	

Rackboard (Spine Roard)			
Backboard (Spine Board)			
01 p/each – Safety Non-Porous Partition (separating			
the driver & the body of the ambulance)			
01 unit – Electric (internal & external) supply bulbs			
01 p/each – IV Administration Set (Macro/Micro)			
02 p/each – IV Cannula (G16, 20, 21, 23, 25, 26)			
02 p/each Syringes (50ml, 30ml, 10ml, 3ml, 1ml)			
10 unit – IV Fluids			
1 lot – Medicines for Advance Cardiovascular Life			
Support			
10 pcs – Triangular Bandage			
03 boxes – Sterile Dressings			
02 rolls – Sterile Gauze Rolls (various sizes)			
50 pcs – Non-sterile elastic bandages			
05 pcs – Sterile Occlusive Dressing 3'x8' or larger			
20 pcs – Adhesive Tape Roll			
01 set – Obstetric Delivery Set (Sterile Delivery Kit)			
01 set – Wrap blanket for Newborn			
05 pcs – Eye Protection (full peripheral glasses or			
goggles or face shields)			
01 lot – HEPA Masks/Surgical Masks			
05 boxes – Non-Sterile/Sterile Gloves			
05 pcs Jumpsuits or Gowns (Medical Grade)			
05 pcs Shoe Covers			
05 pcs Hand Sanitizers or 70% Alcohol			
01 pc Sharps Container (Puncture Proof)			
01 set – Blood Glucose Meter with Strips			
02 pcs – Thermometer Non Mercurial			
02 pcs Heavy Bandage or Paramedic Scissors for			
cutting clothes and belt			
01 box Alcohol Swabs			
01 p/each Hot & Cold Packs or their equivalent			
01 pc Flashlight LED with Batteries			
03 pcs Blanket Sheets, Linen or Paper			
02 pcs Pillow, Pillow Case and Towels			
01 pc Bed Pan			
*			
01 pc Urinal			
01 pc Licensed Handheld Radio			
10 packs Lubricating Jelly			
01 pc Cellular Phone			
01 pc Ambulance fully collapsible stretcher with			
locking mechanism			
01 pc Short Backboard Vest Type Extrication Device			
01 pc Fire Extinguisher			
01 pc Stair Chair			
01 pc Trauma Kit			
01 pc Automated External Defibrillator (AED) (if			
applying for ALS-Cardiac Monitor with Defibrillator)			
01 pc Oxygen tank holder			
01 pc Minor surgical kit			
01 manual resuscitator (self-inflating bag) adult and			
pedia			
Three (3) years LTO Registration			
One (1) year GSIS Insurance			
DOH Accreditation			
2011 1 toto Gitter on			
Note:			
Supplier must have a service facility in Zamboanga			
City.	l		

Signature over Printed Name

TECHNICAL SPECIFICATIONS

Item	Specific	cation	BRAND NAME	Statement of Compliance Statement of Compliance
			IVAIVIE	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
1.	02 Units ALS AMBUI	LANCE		
	Specifications:			
	Body Type:	Van		
	Transmission Type:	Manual		
	Engine Size:	3.0L		
	Displacement:	2,982cc		
	Number of	4		
	Cylinders:			
	Number of Valves:	16		
	Transmission	5-Speed Manual		
	Category:			
	Drive Train Rear	Wheel Drive		
	Max Output (HP):	136 hp @3,400		
		rpm		
	Max Torque (nm):	300 Nm @2,400		
		rpm		
	Fuel Type:	Diesel		
	Fuel Capacity:	70L		
	Length:	4,695 mm		
	Width:	1,695 mm		
	Height:	1,980 mm		
	INCLUSIONS AND S per AMBULANCE "AMBULANCE" decal			
	end users & Star of Life	`		
	Black Tinted			
	Checkered Plate Stainle	ess Steel Matting		
	Fluorescent Lamp			
	I.V. Hook with Strap			
	Stainless Bumper Appro	oach		
	Stainless Ramp Approa			
	3 seater with storage, se			
	12 pcs. – Laryngeal Ma	• •		
	01 unit – Mounted Oxy	gen Cylinder (at		
	least 20 lbs)			
	01 unit – Portable Oxyg			
	Regulator (Yoke type re			
	15 pcs. – Oxygen Mask			
	(newborn, infant, adult)			
	02 pcs. – Bag Valve Ma			
	Rebreather Bag for Adu 04 pcs. – Endotracheal			
	Adult)	Tube (Teula &		
	10 pcs. – Airways (Pedi	ia & Adult)		
	01 set – Nebulizer and I			
	01 set – Laryngoscope S			
L	1 or set Laryinguscupe i	oct (I caia & Adult)		

01 set – Defibrillator Pads Disposable	
02 sets – Mounted and Portable	
Sphygmomanometer, Non-Mercurial	
(Pediatric Cuff and Adult Cuff)	
02 pcs. – Stethoscope 01 pc. – Firm Padding or Commercial head	
Immobilization Device	
01 pc. – Inverter Power Source at least	
3000W	
01 pc. – Stable Cabinets with spineboard	
holder, partitions & transparent closures	
01 set – Emergency Warning Light System and Siren-Public Address System	
02 sets – Suction Apparatus and	
Accessories (Portable & Stock)	
06 pcs. – Cervical Collars (Small, Medium,	
Large) if possible, X-Collars (Latest &	
better for C-Spine stabilization) 01 set – Lower Extremity Traction Device	
(Supporting Strings, Sling, Traction Straps)	
01 set – Upper and Lower Extremity	
Immobilization Device (Vacuum Splints)	
05 pcs. – Joint Above and Joint below	
fracture (SAM Splints)	
03 pcs. – Resistant straps or cravats (Spider straps if possible)	
01 p/each – Orthopaedic (Scoop) Stretcher	
& Long Backboard (Spine Board)	
01 p/each - Safety Non-Porous Partition	
(separating the driver & the body of the	
ambulance) 01 unit – Electric (internal & external)	
supply bulbs	
01 p/each – IV Administration Set	
(Macro/Micro)	
02 p/each – IV Cannula (G16, 20, 21, 23,	
25, 26) 02 p/each Syringes (50ml, 30ml, 10ml, 3ml,	
1ml)	
10 unit – IV Fluids	
1 lot – Medicines for Advance	
Cardiovascular Life Support	
10 pcs – Triangular Bandage 03 boxes – Sterile Dressings	
02 rolls – Sterile Gauze Rolls (various	
sizes)	
50 pcs – Non-sterile elastic bandages	
05 pcs – Sterile Occlusive Dressing 3'x8' or	
larger 20 pcs – Adhesive Tape Roll	
01 set – Obstetric Delivery Set (Sterile	
Delivery Kit)	
01 set – Wrap blanket for Newborn	
05 pcs – Eye Protection (full peripheral	
glasses or goggles or face shields) 01 lot – HEPA Masks/Surgical Masks	
05 boxes – Non-Sterile/Sterile Gloves	
05 pcs Jumpsuits or Gowns (Medical	
Grade)	
05 pcs Shoe Covers	
05 pcs Hand Sanitizers or 70% Alcohol 01 pc Sharps Container (Puncture Proof)	
01 set – Blood Glucose Meter with Strips	
02 pcs – Thermometer Non Mercurial	
02 pcs Heavy Bandage or Paramedic	
Scissors for cutting clothes and belt	
01 box Alcohol Swabs 01 p/each Hot & Cold Packs or their	
or preach from the Cold facts of their	<u> </u>

equivalent		
01 pc Flashlight LED with Batteries		
03 pcs Blanket Sheets, Linen or Paper		
02 pcs Pillow, Pillow Case and Towels		
01 pc Bed Pan		
01 pc Urinal		
01 pc Licensed Handheld Radio		
10 packs Lubricating Jelly		
01 pc Cellular Phone		
01 pc Ambulance fully collapsible stretcher		
with locking mechanism		
01 pc Short Backboard Vest Type		
Extrication Device		
01 pc Fire Extinguisher		
01 pc Stair Chair		
01 pc Trauma Kit		
01 pc Automated External Defibrillator		
(AED) (if applying for ALS-Cardiac		
Monitor with Defibrillator)		
01 pc Oxygen tank holder		
01 pc Minor surgical kit		
01 manual resuscitator (self-inflating bag)		
adult and pedia		
Three (3) years LTO Registration		
One (1) year GSIS Insurance		
DOH Accreditation		
Note:		
Supplier must have a service facility in		
Zamboanga City.		

Signature over Printed Name

SCHEDULE OF WARRANTY

This serves as warranty for Other Transportation Equipment in the City Government of Zamboanga.

ITEM NO.	DESCRIPTION		QUANTITY		WARRANTY	
1.	ALS AMBULANCE		2	Units		
	Specifications:					
	Body Type: Van					
	Transmission Type: Manu	al				
	Engine Size: 3.0L					
	Displacement: 2,982	cc				
	Number of Cylinders: 4					
	Number of Valves: 16					
		ed Manual				
		l Drive				
	<u> </u>	p @3,400 rpm				
		Im @2,400 rpm				
	Fuel Type: Diese	1				
	Fuel Capacity: 70L					
	Length: 4,695					
	Width: 1,695 Height: 1,980					
	Height: 1,980	111111				
	INCLUSIONS AND SPECIFICA' AMBULANCE	ΓIONS per				
	"AMBULANCE" decals all sides (I	logo of end users				
	& Star of Life)					
	Black Tinted					
	Checkered Plate Stainless Steel Mat	ting				
	Fluorescent Lamp	-				
	I.V. Hook with Strap					
	Stainless Bumper Approach					
	Stainless Ramp Approach					
	3 seater with storage, seatbelt & Bac					
	12 pcs. – Laryngeal Mask Airways (
	01 unit – Mounted Oxygen Cylinder					
	01 unit – Portable Oxygen Cylinder	with Regulator				
	(Yoke type regulator)	(a. 1				
	15 pcs. – Oxygen Mask No. 2, 3, 4 (newborn, infant,				
	adult) 02 pcs. – Bag Valve Mask Resuscita	ntor with				
	Rebreather Bag for Adults and Pedia					
	04 pcs. – Endotracheal Tube (Pedia					
	10 pcs. – Airways (Pedia & Adult)	a radit)				
	01 set – Nebulizer and Nebulizer Ki	t				
	01 set – Laryngoscope Set (Pedia &					
	01 set – Defibrillator Pads Disposab					
	02 sets – Mounted and Portable Sph	ygmomanometer,				
	Non-Mercurial (Pediatric Cuff and A	Adult Cuff)				
	02 pcs. – Stethoscope					
	01 pc. – Firm Padding or Commerci	al head				
	Immobilization Device	2000				
	01 pc. – Inverter Power Source at le					
	01 pc. – Stable Cabinets with spineb	oard holder,				
	partitions & transparent closures	System and Size				
	01 set – Emergency Warning Light	System and Siren-				
	Public Address System 02 sets – Suction Apparatus and Acc	pessories				
	(Portable & Stock)	.0301103				
	06 pcs. – Cervical Collars (Small, M.	ledium, Large) if				
	possible, X-Collars (Latest & better					
	stabilization)	- ·- r				
	01 set – Lower Extremity Traction I	Device				
	(Supporting Strings, Sling, Traction					
	01 set – Upper and Lower Extremity					
	Device (Vacuum Splints)					
	05 pcs. – Joint Above and Joint belo	w fracture (SAM				
	Splints)					
	03 pcs. – Resistant straps or cravats	(Spider straps if				
	possible)					
	01 p/each – Orthopaedic (Scoop) Str	retcher & Long				
	Backboard (Spine Board)	:::				
	01 p/each – Safety Non-Porous Part					
	the driver & the body of the ambula	nce)				

01 unit – Electric (internal & extern	al) supply bulbs		
01 p/each – IV Administration Set			
02 p/each – IV Cannula (G16, 20, 2			
02 p/each Syringes (50ml, 30ml, 10			
10 unit – IV Fluids	iii, 3iii, 1iii)		
1 lot – Medicines for Advance Care	iovascular Life		
Support	iovascalai Elic		
10 pcs – Triangular Bandage			
03 boxes – Sterile Dressings			
02 rolls – Sterile Gauze Rolls (varie	ous sizes)		
50 pcs – Non-sterile elastic bandag	*		
05 pcs – Sterile Occlusive Dressing			
20 pcs – Adhesive Tape Roll	3 No of Migor		
01 set – Obstetric Delivery Set (Ste	rile Delivery Kit)		
01 set – Wrap blanket for Newborn			
05 pcs – Eye Protection (full periph	eral glasses or		
goggles or face shields)	<i>J</i>		
01 lot – HEPA Masks/Surgical Ma	ks		
05 boxes – Non-Sterile/Sterile Glo			
05 pcs Jumpsuits or Gowns (Medic			
05 pcs Shoe Covers	,		
05 pcs Hand Sanitizers or 70% Alc	ohol		
01 pc Sharps Container (Puncture I			
01 set – Blood Glucose Meter with			
02 pcs – Thermometer Non Mercui			
02 pcs Heavy Bandage or Paramed			
cutting clothes and belt			
01 box Alcohol Swabs			
01 p/each Hot & Cold Packs or the	r equivalent		
01 pc Flashlight LED with Batterie	3		
03 pcs Blanket Sheets, Linen or Pa	er		
02 pcs Pillow, Pillow Case and Tov	els		
01 pc Bed Pan			
01 pc Urinal			
01 pc Licensed Handheld Radio			
10 packs Lubricating Jelly			
01 pc Cellular Phone			
01 pc Ambulance fully collapsible	tretcher with		
locking mechanism			
01 pc Short Backboard Vest Type I	Extrication Device		
01 pc Fire Extinguisher			
01 pc Stair Chair			
01 pc Trauma Kit	(AED) (C		
01 pc Automated External Defibril			
applying for ALS-Cardiac Monitor	with Defibrillator)		
01 pc Oxygen tank holder			
01 pc Minor surgical kit	a haa) a deelt a a d		
01 manual resuscitator (self-inflatin	g dag) adult and		
pedia Three (2) years LTO Registration			
Three (3) years LTO Registration			
One (1) year GSIS Insurance DOH Accreditation			
DOH Accreditation			
Note:			
Supplier must have a service facilit	in Zamboanga		
City.	, in Zamooanga		
City.		l	

Bid Data Sheet

ITB Clause	
5.3	For this purpose, contracts similar to the project shall be:
	a. Other Transportation Equipment: 02 units ALS Ambulance b. Completed within ten (10) years prior to the deadline for the submission and receipt of bids.
7.1	"Subcontracting is not allowed."
12	The price of the Goods shall be quoted delivered duty paid (DDP) at CGSO, Tetuan, Zamboanga City for this project.
14.1	The Bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	 a. The amount of not less than <u>P100,000.00</u>; if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than P250,000.00; if bid security is in Surety Bond.
19.4	The Project shall be awarded One Project having several items that shall be awarded as one contract.
20.2	[List here any licenses and permits relevant to the Project and the corresponding law requiring it.]
21.2	[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]

Special Conditions of Contract

GCC Clause List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:] **Delivery and Documents -**For purposes of the Contract, "EXW," "FOB," "FCA," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: [For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS." [For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered CGSO, Tetuan, Zamboanga City. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)]. Incidental Services -The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest. a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services. Spare Parts -The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier: Select appropriate requirements and delete the rest. a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and b. in the event of termination of production of the spare parts: i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the cost thereof are included in the contract price.

spare parts, if requested.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of *Three (3) Months*. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

Contract Description

Final Destination

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights -

4

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

2.2 [If partial payment is allowed, state] "The terms of payment shall be as follows: ______.

The inspections and tests that will be conducted are: Quality Inspection by Accounting, COA, CGSO and End User.

REPUBLIC OF THE PHILIPPINES)
CITY OF	18.8

BID SECURING DECLARATION

Invitation to Bid No.: [Insert reference number]

To: City Government of Zamboanga, **BIDS AND AWARDS COMMITTEE** Villalobos Street, Zamboanga City

I/We, the undersigned, declare that:

- Bid Security, which may be in the 1. I/We understand that, according to your conditions, bids must be supported form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and;
 - declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

N WINESS WHEREOF, I/We have hereunto set my/our hand/s this ___ day of [month][year] at [place of execution].

[Insert NAME OF BIDDER OR ITS **AUTHORIZED REPRESENTATIVE** [Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **CITY GOVERNMENT OF ZAMBOANGA** wishes to receive Bids for the <u>Other Transportation Equipment 02 units ALS Ambulance</u>) with Solicitation No. <u>Goods 23-0727-0131.</u>

The Procurement Project (referred to herein as "Project") is composed of **1 lot**, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **AB FY 2023** in the amount of **FIVE MILLION PESOS (P5,000,000.00) ONLY.**
- 2.2. The source of funding is: LGUs, the Annual or Supplemental Budget, as approved by the Sanggunian.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2.b Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project is on <u>August 03, 2023 at 10:00AM</u> at the <u>Office of the City Mayor- Procurement, Acquisition and Award Division (PAAD) Conference Room, Villalobos Street, Zamboanga City</u> as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents).**
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within ten (10) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and

- iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in **Philippine Pesos**.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the BDS, which shall be not less than the percentage of the ABC in accordance with the schedule in the BDS.
- 14.2. The Bid and bid security shall be valid until **One Hundred Twenty Days [120].** Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on <u>August 16, 2023 at 10:00 AM at Office of the City Mayor - Procurement, Acquisition and Awards Division (CMO-PAAD), Conference Room, Villalobos St., Zamboanga City as indicated in paragraph 7 of the **IB**.</u>

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids on August 16, 2023 at 10:00 AM at Office of the City Mayor - Procurement, Acquisition and Awards Division (CMO-PAAD), Conference Room, Villalobos St., Zamboanga City as specified in paragraph 9 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.