



INVITATION TO BID FOR

Motor Vehicles

(Name of Project)

1. The CITY GOVERNMENT OF ZAMBOANGA, through the **Trust Fund** intends to apply the sum of **NINE MILLION TWO HUNDRED NINETY FOUR THOUSAND PESOS (P9,294,000.00) ONLY** being the Approved Budget for the Contract (ABC) to payments under the contract for **Motor Vehicles (PR No. Lot 1-300-22-04-0659; Lot 2-300-22-04-0649; Lot 3-300-22-04-0658)**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The CITY GOVERNMENT OF ZAMBOANGA now invites bids for the **Lot 1-04 units Utility Vehicle with Airconditioning, Lot 2-01 unit Aluminum Van with Airconditioning System, Lot 3-01 unit Pick Up (4x2)**. Delivery of the GOODS is required by **Thirty (30) Calendar Days**. Bidders should have completed within a period of ten (10) years from the date of submission and receipt of bids, a contract similar to the Project, with a value of at least (50%) of the ABC and to meet other eligibility requirements stated in the Eligibility Documents. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184.
Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
4. Prospective Bidders may obtain further information from CITY GOVERNMENT OF ZAMBOANGA in the Office of the City Mayor-Procurement, Acquisition and Awards Division (CMO-PAAD) and inspect the Bidding Documents at the address given below during 8:00 AM to 5:00 PM.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **May 16, 2022 to June 06, 2022** from the given address and website/s below and upon payment of a non-refundable fee for the Bidding Documents, pursuant to the latest guidelines issued by the GPPB, in the amount of **P9,294.00**. The method of payment will be **Cash payable to the City Treasurer's Office**. The Bidding Documents shall be received personally by the Prospective Bidder or his/her authorized representative. The Procuring Entity shall allow the bidder to present its proof of payment for the fees "*machine copy of the official receipt*" not later than the submission of their bids.
6. The CITY GOVERNMENT OF ZAMBOANGA will hold a Pre-bid Conference on **May 24, 2022 at 10:00 AM** at Office of the City Mayor - Procurement, Acquisition and Awards Division (CMO-PAAD), Conference Room, Villalobos St., Zamboanga City, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before **June 06, 2022 at 10:00 AM**. Late bids shall not be accepted.
8. All Bids must be accompanied by a Bid Security in any of the acceptable forms and in the amount stated in ITB Clause 14.
All Bids must be accompanied by a Bid Security which shall be a **Bid Securing Declaration** or at least one other form of the following: cash, cashier's/manager's check, bank draft/guarantee confirmed by a Universal/Commercial Bank, Irrevocable Letter of Credit issued by a Universal/Commercial Bank or from other bank certified by the Bangko Sentral ng Pilipinas as authorized to issue such financial instrument, provided however that it shall be confirmed or authenticated by a Universal/Commercial Bank if issued by a foreign bank in the amount of **P185,880.00** or Surety Bond callable upon demand issued by a Surety or Insurance Company duly certified by the Insurance Commission as authorized to issue such security in the amount of **P464,700.00** or any combination of the foregoing in the amount proportionate to share of form with respect to total amount of security.
The Bid Security shall be denominated in Philippine Pesos and posted in favor of the Procuring Entity.
Bidders are required to indicate the BRAND NAME and/or NAME OF MANUFACTURER of GOODS offered/quoted, when appropriate.
9. Bid opening shall be on **June 06, 2022 at 10:00 AM** at Office of the City Mayor - Procurement, Acquisition and Awards Division (CMO-PAAD), Conference Room, Villalobos St., Zamboanga City. Bids will be opened in the presence of the bidder's representatives who choose to attend the activity.
10. To be delivered in the **Office of the City Health**
11. The CITY GOVERNMENT OF ZAMBOANGA reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 35.6 and 41 of the 2016 revised Implementing Rules or Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. Bidders are advised to use the **BID FORM** at the back of this ITB. Failure to do so would lead to non-acceptance of the bid.
13. For Further information please refer to:

ATTY. DIOSCORO E. SALE

BAC Secretariat
Office of the City Mayor - Procurement, Acquisition and Awards Division
Villalobos Street, Zamboanga City
zcbac.sec@gmail.com
Tel. No. (062) 992-7763

ERWIN E. BERNARDO
BAC Chairperson



BID FORM

Date: _____

TO: CITY GOVERNMENT OF ZAMBOANGA
 Address: Villalobos Street ZAMBOANGA CITY

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers including Bid Bulletin Numbers **Goods 22-0516-0076** the receipt of which is hereby duly acknowledge, we, the undersigned, offer to supply/deliver/perform **Motor Vehicles** in conformity with the said Philippine Bidding Documents (PBDs) for the sum of **Lot 1-300-22-04-0659**

_____ (total Bid amount in words and figures)
Lot 1-300-22-04-0649

_____ (total Bid amount in words and figures)
Lot 1-300-22-04-0658

_____ (total Bid amount in words and figures)

or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax' (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

if our Bid is accepted, we undertake:

- a. To deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. To provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. To abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon as at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of agent Currency Commission or gratuity

(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of _____
 (name of bidder)

as evidenced by the attached _____
 (state the written authority)

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

PRICE SCHEDULE FOR GOODS

Name of Bidder _____ Solicitation No.: **Goods 22-0516-0076** Page 1 of 4

1	2	3	4		5	6	7	8	9	10
Item	Description	Country of origin	Quantity		Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
	LOT 1 ABC: P6,000,000.00									
1.	UTILITY VEHICLES WITH AIRCONDITIONING SYSTEM		04	Units						
<p>Specifications: Seating Capacity: Three (3) Engine: Displacement: 2,499 Emission Rating: Euro 4 Max. Power PS/rpm: 78/3,900 Max. Torque N-m/rpm: 176.5/1,800 Fuel Tank Capacity (Liters): 50 Suspension: Front: Double Wishbone with Coil Spring Rear: Semi-Elliptical Leaf Spring Breaks: Front: Ventilator Disc Rear: Drum, Leading and Trailing Break Assist System Hydraulic-Vacuum Assisted 3-a Dual Circuit Brake Control Deceleration Sensing Proportioning Valve (DSPV) Transmission: MUA-5s Model: 5-speed Manual Type: 4.357 Gear Ratio: 1st: 4.357 2nd: 2.502 3rd: 1.501 4th: 1.000 5th: 0.809 Rev: 3.67 Final Gear Ratio: 4.777 Electric System: Battery: 65D23R x 1 Voltage and Alternation: 195R 14C 8PR Wheel and Tire: Wheel: 14x5.5JJ (6 studs) Tires: 195R 14c 8PR</p>					<p>Convenience: Audio: Tuner Radio with USB, Two Speakers Reverse Warning Buzzer: Equipped Air-Conditioning System: Optional Cab and Chassis Dimension (mm) WB: 2,400 OAL: 4,600 OAW: 1,695 OAH: 1,955 FOH: 1,005 ROH: 1,195 CE: 3,100 CA: 1,905 AW: 1,460 BW: 1,660 HH: 200 Cab and Chassis Weight (kg) GVW: 2950 Cab and Chassis Mass: 1,295 Front: 920 Rear: 375 Payload: 1,655 Inclusion: Tint EWD STD. Tools With three (3) years LTO Registration (Red Plate) and Insurance (GSIS) Dual Airconditioning Additional Note: Supplier must have a service facility in Zamboanga City.</p>					
<p>Purpose: For official use in the Office of the City Health, this city.</p>										

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

PRICE SCHEDULE FOR GOODS

Name of Bidder _____

Solicitation No.: **Goods 22-0516-0076** Page 2 of 4

1	2	3	4		5	6	7	8	9	10
Item	Description	Country of origin	Quantity		Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
	LOT2 ABC: P1,800,000.00									
1.	ALUMINUM VAN WITH AIR-CONDITIONING SYSTEM		01	Unit						
<p>Specifications:</p> <p>Type: 4-cylinder, Turbo-intercooler, Common-Rail Direct Injection Euro IV, Blue Power Diesel Engine Bore and Stroke (mm) ø95.4 x 104.9 Displacement (cc) 2999 Max. Output KW (PS)/rpm (ISO Gross) 77(106.0)/3,200 Max. Torque N-m(kg-m) / rpm (ISO Gross) 230(23.5)/1,400-3,200 Fuel Tank Capacity (Liter) 75</p> <p>Transmission: Final Gear Ratio: 4,875</p> <p>Tire and Wheel: Tire: 7.00-15-12-PR Number of Tires 5(Five) including spare tire</p> <p>Brake: Service: Drum Type, Vacuum Auxillary Parking: Center Brake</p> <p>Suspension: Front and Rear: Multi-Leaf Spring</p> <p>Electric System: Battery: 95D31Lx1 Alternator: 12V-80A</p>					<p>Convenience: Audio: Tuner Radio with USB, 2-Speakers Air-Conditioning System: Optional Cab Window: Manual Cab Door: Manual Cab Tilting Buzzer Reverse Warning Buzzer: Equipped</p> <p>Inclusion: Tint EWD STD. Tools With Three (3) Years LTO Registration (Red Plate) And Insurance (GSIS)</p> <p>Additional Note: Supplier must have a service facility in Zamboanga City.</p>					
<p>Purpose: For official use in the Office of the City Health, this city.</p>										

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

PRICE SCHEDULE FOR GOODS

Name of Bidder _____ Solicitation No.: **Goods 22-0516-0076** Page 3 of 4

1	2	3	4		5	6	7	8	9	10
Item	Description	Country of origin	Quantity		Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
	LOT3 ABC: P1,494,000.00									
1.	PICK UP (4X2)		01	Unit						
Specifications: Type: 4-cylinder in-line Blue Power Diesel engine with turbo intercooler, Semi-midship weight distribution. Max. power: Ps/rpm 150/3, 600 Max. torque: N-m/rpm 350/1,800-2,600 Displacement cc: 1,898 Fuel tank Liters: 76 Fuel system: Electronic controlled fuel injection Turbocharger: Electronic VGS Turbo Transmission: type MVL_6 Y –speed MT with reverse lock-out Steering type: Tilt & Telescopic fixed Brakes: Front: Ventilated disc brake with return sprin Rear: Auto-adjust drum brake Suspension: Front: Double coil spring with high mounted upper control arm and stabilizer Rear: Long span semi-elliptical soft ride leaf spring Wheels and tires: 255/65 R17 HT, Silver Spare wheel: Full tire size-steel Dimensions: Overall LxWxH mm: 5,265x1,870x1,785 Wheelbase mm: 3,125 Ground clearance mm: 235 Gross vehicle weight kg: 2,500 Exterior: Type: Multi-reflector halogen Headlamps: Leveling: Manual Daytime running light: Halogen type at foglamp Follow me home headlamp: Equipped Headlamp battery saver: Equipped					Foglamps: Halogen Antenna: Front center roof mount Radiator grille: Medium gray metallic Front bumper: Body color energy absorb bumper Side view mirrors: Power adjust & manual fold with integrated side turn lamp Door Handles: Body Color Rear Bumper: Type: 2-type integrated type, body color Color: Body color Rear: Type: Multi-Reflector Combination: Emergency stop signal: Equipped Bedliner: Equipped Interior: Instrument meters: Electroluminescent with 4.2-inch multi-information display Infotainment system: 10.1 inch full touchscreen display with apple car play and android auto, Bluetooth connectivity, Auxin and USB Navigation System: Equipped Clinometer: Equipped Speakers: 6-Speaker System Material: Urethane+Decoration Steering wheel: LH Switch: Audio+Phone+Voice Control RH Switch: MID 1 st Row: Bucket seat with anti vibration elastic comfort foam Seats: 2 nd Row: 60:40 split folding Whiplash protection headrest: Equipped Material: Black Leather					
Purpose: For official use in the Office of the City Health , this city.										

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

PRICE SCHEDULE FOR GOODS

Name of Bidder _____

Solicitation No.: **Goods 22-0516-0076** Page 4 of 4

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (Col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
	<p>Safety & Convenience: S.R.S airbags: 2 position Brake override system: Equipped Anti-lock Brake system: Equipped Electronic brakeforce: Equipped Distribution: Brake assist: Equipped Active Safety Feature: Electronic Stability Control: Equipped Traction Control System: Equipped Hill start assist: Equipped Hill descent control: Equipped Seatbelts: 1st Row: 3-point emergency retractor with pre-tensioner 2nd Row: 3-point emergency locking fixed Under Body: Front Skid plate: Equipped Protection: Rear Skid Plate: Equipped Transmission cover: Equipped High mount stop lamp: Equipped Rear view window: Day/Night Rear defogger: Equipped Control: 3-dial switch Air Conditioning System: Dual Zone: Equipped Pollen filter: Equipped</p>								
					<p>Rear Ventilation: Equipped Vehicle access: Remote Car Lock System Remote keyless entry Immobilizer: Equipped 12V accessory socket: Equipped USB Port: Equipped Wipers: Type: Variable intermittent Motor: Conventional Washer nozzle: Conventional Parking aid: Parking aid rear: 4-eye with rear view camera Inclusion: Tint EWD STD. Tools With three (3) year LTO Registration (Red Plate) and Insurance (GSIS)</p> <p>Additional Note: Supplier must have a service facility in Zamboanga City.</p>				

Purpose: For official use in the **Office of the City Health**, this city.

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

SCHEDULE OF REQUIREMENTS

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

<i>Item Number</i>	<i>Description</i>	<i>Quantity</i>		<i>Total</i>	<i>Delivered, Days/Weeks/Months</i>
	LOT 1 ABC: P6,000,000.00				
1.	Utility Vehicles with Airconditioning System Specifications: Seating Capacity: Three (3) Engine: Displacement: 2,499 Emission Rating: Euro 4 Max. Power PS/rpm: 78/3,900 Max. Torque N-m/rpm: 176.5/1,800 Fuel Tank Capacity (Liters): 50 Suspension: Front: Double Wishbone with Coil Spring Rear: Semi-Elliptical Leaf Spring Breaks: Front: Ventilater Disc Rear: Drum, Leading and Trailing Break Assist System Hydraulic-Vacuum Assisted 3-a Dual Circuit Brake Control Deceleration Sensing Proportioning Valve (DSPV) Transmission: MUA-5s Model: 5-speed Manual Type: 4.357 Gear Ratio: 1 st : 4.357 2 nd : 2.502 3 rd : 1.501 4 th : 1.000 5 th : 0.809 Rev: 3.67 Final Gear Ratio: 4.777 Electric System: Battery: 65D23R x 1 Voltage and Alternation: 195R 14C 8PR Wheel and Tire: Wheel: 14x5.5JJ (6 studs) Tires: 195R 14c 8PR Convenience: Audio: Tuner Radio with USB, Two Speakers Reverse Warning Buzzer: Equipped Air-Conditioning System: Optional Cab and Chassis Dimension (mm) WB: 2,400 OAL: 4,600 OAW: 1,695 OAH: 1,955 FOH: 1,005 ROH: 1,195 CE: 3,100 CA: 1,905 AW: 1,460 BW: 1,660 HH: 200 Cab and Chassis Weight (kg) GVW: 2950 Cab and Chassis Mass: 1,295 Front: 920 Rear: 375 Payload: 1,655 Inclusion: Tint EWD STD. Tools With three (3) years LTO Registration (Red Plate) and Insurance (GSIS) Dual Airconditioning	4	Units		

	Additional Note: Supplier must have a service facility in Zamboanga City.				
	LOT2 ABC: P1,800,000.00				
2.	ALUMINUM VAN WITH AIR-CONDITIONING SYSTEM Specifications: Type: 4-cylinder, Turbo-intercooler, Common-Rail Direct Injection Euro IV, Blue Power Diesel Engine Bore and Stroke (mm) ø95.4 x 104.9 Displacement (cc) 2999 Max. Output KW (PS)/rpm (ISO Gross) 77(106.0)/3,200 Max. Torque N-m(kg-m) / rpm (ISO Gross) 230(23.5)/1,400-3,200 Fuel Tank Capacity (Liter) 75 Transmission: Final Gear Ratio: 4,875 Tire and Wheel: Tire: 7.00-15-12-PR Number of Tires 5(Five) including spare tire Brake: Service: Drum Type, Vacuum Auxillary Parking: Center Brake Suspension: Front and Rear: Multi-Leaf Spring Electric System: Battery: 95D31Lx1 Alternator: 12V-80A Convenience: Audio: Tuner Radio with USB, 2-Speakers Air-Conditioning System: Optional Cab Window: Manual Cab Door: Manual Cab Tilting Buzzer Reverse Warning Buzzer: Equipped Inclusion: Tint EWD STD. Tools With Three (3) Years LTO Registration (Red Plate) And Insurance (GSIS) Additional Note: Supplier must have a service facility in Zamboanga City.	01	Unit		
	LOT3 ABC: P1,494,000.00				
3.	Pick Up (4x2) Specifications: Type: 4-cylinder in-line Blue Power Diesel engine with turbo intercooler, Semi-midship weight distribution. Max. power: Ps/rpm 150/3, 600 Max. torque: N-m/rpm 350/1,800-2,600 Displacement cc: 1,898 Fuel tank Liters: 76 Fuel system: Electronic controlled fuel injection Turbocharger: Electronic VGS Turbo Transmission: type MVL_6 Y –speed MT with reverse lock-out Steering type: Tilt & Telescopic fixed Brakes: Front: Ventilated disc brake with return sprin Rear: Auto-adjust drum brake	01	Unit		

<p>Suspension: Front: Double coil spring with high mounted upper control arm and stabilizer Rear: Long span semi-elliptical soft ride leaf spring Wheels and tires: 255/65 R17 HT, Silver Spare wheel: Full tire size-steel</p> <p>Dimensions: Overall LxWxH mm: 5,265x1,870x1,785 Wheelbase mm: 3,125 Ground clearance mm: 235 Gross vehicle weight kg: 2,500</p> <p>Exterior: Type: Multi-reflector halogen Headlamps: Leveling: Manual Daytime running light: Halogen type at foglamp Follow me home headlamp: Equipped Headlamp battery saver: Equipped Foglamps: Halogen Antenna: Front center roof mount Radiator grille: Medium gray metallic Front bumper: Body color energy absorb bumper Side view mirrors: Power adjust & manual fold with integrated side turn lamp Door Handles: Body Color Rear Bumper: Type: 2-type integrated type, body color Color: Body color Rear: Type: Multi-Reflector Combination: Emergency stop signal: Equipped Bedliner: Equipped</p> <p>Interior: Instrument meters: Electroluminescent with 4.2-inch multi-information display Infotainment system: 10.1 inch full touchscreen display with apple car play and android auto, Bluetooth connectivity, Auxin and USB Navigation System: Equipped Clinometer: Equipped Speakers: 6-Speaker System Material: Urethane+Decoration Steering wheel: LH Switch: Audio+Phone+Voice Control RH Switch: MID 1st Row: Bucket seat with anti vibration elastic comfort foam Seats: 2nd Row: 60:40 split folding Whiplash protection headrest: Equipped Material: Black Leather</p> <p>Safety & Convenience: S.R.S airbags: 2 position Brake override system: Equipped Anti-lock Brake system: Equipped Electronic brakeforce: Equipped Distribution: Brake assist: Equipped</p> <p>Active Safety Feature: Electronic Stability Control: Equipped Traction Control System: Equipped Hill start assist: Equipped Hill descent control: Equipped Seatbelts: 1st Row: 3-point emergency retractor with pre-tensioner 2nd Row: 3-point emergency locking fixed Under Body: Front Skid plate: Equipped Protection: Rear Skid Plate: Equipped Transmission cover: Equipped High mount stop lamp: Equipped Rear view window: Day/Night</p>				
--	--	--	--	--

<p>Rear defogger: Equipped Control: 3-dial switch Air Conditioning System: Dual Zone: Equipped Pollen filter: Equipped Rear Ventilation: Equipped Vehicle access: Remote Car Lock System Remote keyless entry Immobilizer: Equipped 12V accessory socket: Equipped USB Port: Equipped Wipers: Type: Variable intermittent Motor: Conventional Washer nozzle: Conventional Parking aid: Parking aid rear: 4-eye with rear view camera Inclusion: Tint EWD STD. Tools With three (3) year LTO Registration (Red Plate) and Insurance (GSIS)</p> <p>Additional Note: Supplier must have a service facility in Zamboanga City.</p>				
---	--	--	--	--

Signature over Printed Name

TECHNICAL SPECIFICATIONS

Item	Specification	BRAND NAME	Statement of Compliance <small>Statement of Compliance</small>
	LOT 1 ABC: P6,000,000.00		<p>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</p>
1.	Utility Vehicles with Airconditioning System Specifications: Seating Capacity: Three (3) Engine: Displacement: 2,499 Emission Rating: Euro 4 Max. Power PS/rpm: 78/3,900 Max. Torque N-m/rpm: 176.5/1,800 Fuel Tank Capacity (Liters): 50 Suspension: Front: Double Wishbone with Coil Spring Rear: Semi-Elliptical Leaf Spring Breaks: Front: Ventilater Disc Rear: Drum, Leading and Trailing Break Assist System Hydraulic-Vacuum Assisted 3-a Dual Circuit Brake Control Deceleration Sensing Proportioning Valve (DSPV) Transmission: MUA-5s Model: 5-speed Manual Type: 4.357 Gear Ratio: 1 st : 4.357 2 nd : 2.502 3 rd : 1.501 4 th : 1.000 5 th : 0.809 Rev: 3.67 Final Gear Ratio: 4.777 Electric System: Battery: 65D23R x 1 Voltage and Alternation: 195R 14C 8PR Wheel and Tire: Wheel: 14x5.5JJ (6 studs) Tires: 195R 14c 8PR Convenience: Audio: Tuner Radio with USB, Two Speakers Reverse Warning Buzzer: Equipped Air-Conditioning System: Optional Cab and Chassis Dimension (mm) WB: 2,400 OAL: 4,600 OAW: 1,695 OAH: 1,955 FOH: 1,005 ROH: 1,195		

	<p>CE: 3,100 CA: 1,905 AW: 1,460 BW: 1,660 HH: 200 Cab and Chassis Weight (kg) GVW: 2950 Cab and Chassis Mass: 1,295 Front: 920 Rear: 375 Payload: 1,655 Inclusion: Tint EWD STD. Tools With three (3) years LTO Registration (Red Plate) and Insurance (GSIS) Dual Airconditioning</p> <p>Additional Note: Supplier must have a service facility in Zamboanga City.</p>		
	<p>LOT2 ABC: P1,800,000.00</p>		
2.	<p>ALUMINUM VAN WITH AIR-CONDITIONING SYSTEM</p> <p>Specifications:</p> <p>Type: 4-cylinder, Turbo-intercooler, Common-Rail Direct Injection Euro IV, Blue Power Diesel Engine Bore and Stroke (mm) ø95.4 x 104.9 Displacement (cc) 2999 Max. Output KW (PS)/rpm (ISO Gross) 77(106.0)/3,200 Max. Torque N-m(kg-m) / rpm (ISO Gross) 230(23.5)/1,400-3,200 Fuel Tank Capacity (Liter) 75</p> <p>Transmission: Final Gear Ratio: 4,875</p> <p>Tire and Wheel: Tire: 7.00-15-12-PR Number of Tires 5(Five) including spare tire</p> <p>Brake: Service: Drum Type, Vacuum Auxillary Parking: Center Brake</p> <p>Suspension: Front and Rear: Multi-Leaf Spring</p> <p>Electric System: Battery: 95D31Lx1 Alternator: 12V-80A</p> <p>Convenience: Audio: Tuner Radio with USB, 2-Speakers Air-Conditioning System: Optional Cab Window: Manual Cab Door: Manual Cab Tilting Buzzer Reverse Warning Buzzer: Equipped</p> <p>Inclusion: Tint EWD STD. Tools With Three (3) Years LTO Registration (Red Plate) And Insurance (GSIS)</p> <p>Additional Note: Supplier must have a service facility in Zamboanga City.</p>		

	LOT3 ABC: P1,494,000.00		
3.	Pick Up (4x2) Specifications: Type: 4-cylinder in-line Blue Power Diesel engine with turbo intercooler, Semi-midship weight distribution. Max. power: Ps/rpm 150/3, 600 Max. torque: N-m/rpm 350/1,800-2,600 Displacement cc: 1,898 Fuel tank Liters: 76 Fuel system: Electronic controlled fuel injection Turbocharger: Electronic VGS Turbo Transmission: type MVL_6 Y –speed MT with reverse lock-out Steering type: Tilt & Telescopic fixed Brakes: Front: Ventilated disc brake with return sprin Rear: Auto-adjust drum brake Suspension: Front: Double coil spring with high mounted upper control arm and stabilizer Rear: Long span semi-elliptical soft ride leaf spring Wheels and tires: 255/65 R17 HT, Silver Spare wheel: Full tire size-steel Dimensions: Overall LxWxH mm: 5,265x1,870x1,785 Wheelbase mm: 3,125 Ground clearance mm: 235 Gross vehicle weight kg: 2,500 Exterior: Type: Multi-reflector halogen Headlamps: Leveling: Manual Daytime running light: Halogen type at foglamp Follow me home headlamp: Equipped Headlamp battery saver: Equipped Foglamps: Halogen Antenna: Front center roof mount Radiator grille: Medium gray metallic Front bumper: Body color energy absorb bumper Side view mirrors: Power adjust & manual fold with integrated side turn lamp Door Handles: Body Color Rear Bumper: Type: 2-type integrated type, body color Color: Body color Rear: Type: Multi-Reflector Combination: Emergency stop signal: Equipped Bedliner: Equipped Interior: Instrument meters: Electroluminescent with 4.2-inch multi-information display Infotainment system: 10.1 inch full touchscreen display with apple car play and android auto, Bluetooth connectivity, Auxin and USB Navigation System: Equipped Clinometer: Equipped Speakers: 6-Speaker System Material: Urethane+Decoration Steering wheel: LH Switch: Audio+Phone+Voice Control RH Switch: MID 1 st Row: Bucket seat with anti vibration elastic comfort foam Seats: 2 nd Row: 60:40 split folding Whiplash protection headrest: Equipped Material: Black Leather Safety & Convenience: S.R.S airbags: 2 position Brake override system: Equipped		

	<p>Anti-lock Brake system: Equipped Electronic brakeforce: Equipped Distribution: Brake assist: Equipped Active Safety Feature: Electronic Stability Control: Equipped Traction Control System: Equipped Hill start assist: Equipped Hill descent control: Equipped Seatbelts: 1st Row: 3-point emergency retractor with pre-tensioner 2nd Row: 3-point emergency locking fixed Under Body: Front Skid plate: Equipped Protection: Rear Skid Plate: Equipped Transmission cover: Equipped High mount stop lamp: Equipped Rear view window: Day/Night Rear defogger: Equipped Control: 3-dial switch Air Conditioning System: Dual Zone: Equipped Pollen filter: Equipped Rear Ventilation: Equipped Vehicle access: Remote Car Lock System Remote keyless entry Immobilizer: Equipped 12V accessory socket: Equipped USB Port: Equipped Wipers: Type: Variable intermittent Motor: Conventional Washer nozzle: Conventional Parking aid: Parking aid rear: 4-eye with rear view camera Inclusion: Tint EWD STD. Tools With three (3) year LTO Registration (Red Plate) and Insurance (GSIS)</p> <p>Additional Note: Supplier must have a service facility in Zamboanga City.</p>		
--	---	--	--

Signature over Printed Name

SCHEDULE OF WARRANTY

This serves as warranty for Motor Vehicles in the City Government of Zamboanga.

ITEM NO.	DESCRIPTION	QUANTITY		WARRANTY	
	LOT 1 ABC: P6,000,000.00				
1.	<p>Utility Vehicles with Airconditioning System</p> <p>Specifications: Seating Capacity: Three (3)</p> <p>Engine: Displacement: 2,499 Emission Rating: Euro 4 Max. Power PS/rpm: 78/3,900 Max. Torque N-m/rpm: 176.5/1,800 Fuel Tank Capacity (Liters): 50</p> <p>Suspension: Front: Double Wishbone with Coil Spring Rear: Semi-Elliptical Leaf Spring</p> <p>Breaks: Front: Ventilater Disc Rear: Drum, Leading and Trailing Break Assist System Hydraulic-Vacuum Assisted 3-a Dual Circuit Brake Control Deceleration Sensing Proportioning Valve (DSPV)</p> <p>Transmission: MUA-5s Model: 5-speed Manual Type: 4.357 Gear Ratio: 1st: 4.357 2nd: 2.502 3rd: 1.501 4th: 1.000 5th: 0.809 Rev: 3.67 Final Gear Ratio: 4.777</p> <p>Electric System: Battery: 65D23R x 1 Voltage and Alternation: 195R 14C 8PR Wheel and Tire: Wheel: 14x5.5JJ (6 studs) Tires: 195R 14c 8PR</p> <p>Convenience: Audio: Tuner Radio with USB, Two Speakers Reverse Warning Buzzer: Equipped Air-Conditioning System: Optional</p> <p>Cab and Chassis Dimension (mm) WB: 2,400 OAL: 4,600 OAW: 1,695 OAH: 1,955 FOH: 1,005 ROH: 1,195 CE: 3,100 CA: 1,905 AW: 1,460 BW: 1,660 HH: 200 Cab and Chassis Weight (kg) GVW: 2950 Cab and Chassis Mass: 1,295 Front: 920 Rear: 375 Payload: 1,655</p> <p>Inclusion: Tint EWD STD. Tools With three (3) years LTO Registration (Red Plate) and Insurance (GSIS) Dual Airconditioning</p> <p>Additional Note:</p>	4	Units		

	Supplier must have a service facility in Zamboanga City.				
	LOT2 ABC: P1,800,000.00				
2.	ALUMINUM VAN WITH AIR-CONDITIONING SYSTEM Specifications: Type: 4-cylinder, Turbo-intercooler, Common-Rail Direct Injection Euro IV, Blue Power Diesel Engine Bore and Stroke (mm) ø95.4 x 104.9 Displacement (cc) 2999 Max. Output KW (PS)/rpm (ISO Gross) 77(106.0)/3,200 Max. Torque N-m(kg-m) / rpm (ISO Gross) 230(23.5)/1,400-3,200 Fuel Tank Capacity (Liter) 75 Transmission: Final Gear Ratio: 4,875 Tire and Wheel: Tire: 7.00-15-12-PR Number of Tires 5(Five) including spare tire Brake: Service: Drum Type, Vacuum Auxillary Parking: Center Brake Suspension: Front and Rear: Multi-Leaf Spring Electric System: Battery: 95D31Lx1 Alternator: 12V-80A Convenience: Audio: Tuner Radio with USB, 2-Speakers Air-Conditioning System: Optional Cab Window: Manual Cab Door: Manual Cab Tilting Buzzer Reverse Warning Buzzer: Equipped Inclusion: Tint EWD STD. Tools With Three (3) Years LTO Registration (Red Plate) And Insurance (GSIS) Additional Note: Supplier must have a service facility in Zamboanga City.	01	Unit		
	LOT3 ABC: P1,494,000.00				
3.	Pick Up (4x2) Specifications: Type: 4-cylinder in-line Blue Power Diesel engine with turbo intercooler, Semi-midship weight distribution. Max. power: Ps/rpm 150/3, 600 Max. torque: N-m/rpm 350/1,800-2,600 Displacement cc: 1,898 Fuel tank Liters: 76 Fuel system: Electronic controlled fuel injection Turbocharger: Electronic VGS Turbo Transmission: type MVL_6 Y –speed MT with reverse lock-out Steering type: Tilt & Telescopic fixed Brakes: Front: Ventilated disc brake with return sprin Rear: Auto-adjust drum brake	01	Unit		

<p>Suspension: Front: Double coil spring with high mounted upper control arm and stabilizer Rear: Long span semi-elliptical soft ride leaf spring Wheels and tires: 255/65 R17 HT, Silver Spare wheel: Full tire size-steel</p> <p>Dimensions: Overall LxWxH mm: 5,265x1,870x1,785 Wheelbase mm: 3,125 Ground clearance mm: 235 Gross vehicle weight kg: 2,500</p> <p>Exterior: Type: Multi-reflector halogen Headlamps: Leveling: Manual Daytime running light: Halogen type at foglamp Follow me home headlamp: Equipped Headlamp battery saver: Equipped Foglamps: Halogen Antenna: Front center roof mount Radiator grille: Medium gray metallic Front bumper: Body color energy absorb bumper Side view mirrors: Power adjust & manual fold with integrated side turn lamp Door Handles: Body Color Rear Bumper: Type: 2-type integrated type, body color Color: Body color Rear: Type: Multi-Reflector Combination: Emergency stop signal: Equipped Bedliner: Equipped</p> <p>Interior: Instrument meters: Electroluminescent with 4.2-inch multi-information display Infotainment system: 10.1 inch full touchscreen display with apple car play and android auto, Bluetooth connectivity, Auxin and USB Navigation System: Equipped Clinometer: Equipped Speakers: 6-Speaker System Material: Urethane+Decoration Steering wheel: LH Switch: Audio+Phone+Voice Control RH Switch: MID 1st Row: Bucket seat with anti vibration elastic comfort foam Seats: 2nd Row: 60:40 split folding Whiplash protection headrest: Equipped Material: Black Leather</p> <p>Safety & Convenience: S.R.S airbags: 2 position Brake override system: Equipped Anti-lock Brake system: Equipped Electronic brakeforce: Equipped Distribution: Brake assist: Equipped</p> <p>Active Safety Feature: Electronic Stability Control: Equipped Traction Control System: Equipped Hill start assist: Equipped Hill descent control: Equipped Seatbelts: 1st Row: 3-point emergency retractor with pretensioner 2nd Row: 3-point emergency locking fixed Under Body: Front Skid plate: Equipped Protection: Rear Skid Plate: Equipped Transmission cover: Equipped High mount stop lamp: Equipped</p>				
--	--	--	--	--

	<p>Rear view window: Day/Night Rear defogger: Equipped Control: 3-dial switch Air Conditioning System: Dual Zone: Equipped Pollen filter: Equipped Rear Ventilation: Equipped Vehicle access: Remote Car Lock System Remote keyless entry Immobilizer: Equipped 12V accessory socket: Equipped USB Port: Equipped Wipers: Type: Variable intermittent Motor: Conventional Washer nozzle: Conventional Parking aid: Parking aid rear: 4-eye with rear view camera Inclusion: Tint EWD STD. Tools With three (3) year LTO Registration (Red Plate) and Insurance (GSIS)</p> <p>Additional Note: Supplier must have a service facility in Zamboanga City.</p>				
--	---	--	--	--	--

Bidder Signature Over Printed Name

Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the project shall be:</p> <p>a. Motor Vehicles: Lot 1-04 units Utility Vehicle with Airconditioning, Lot 2-01 unit Aluminum Van with Airconditioning System, Lot 3-01 unit Pick Up (4x2).</p> <p>b. Completed within ten (10) years prior to the deadline for the submission and receipt of bids.</p>
7.1	“Subcontracting is not allowed.”
12	The price of the Goods shall be quoted delivered duty paid (DDP) at CGSO, Tetuan, Zamboanga City for this project.
14.1	<p>The Bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <p>a. The amount of not less than P185,880.00; if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</p> <p>b. The amount of not less than P464,700.00; if bid security is in Surety Bond.</p>
19.4	<i>One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.</i>
20.2	<i>[List here any licenses and permits relevant to the Project and the corresponding law requiring it.]</i>
21.2	<i>[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]</i>

Special Conditions of Contract

GCC Clause	
1	<p>[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]</p> <p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>[For Goods supplied from abroad, state:] “The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS.”</p> <p>[For Goods supplied from within the Philippines, state:] “The delivery terms applicable to this Contract are delivered CGSO, Tetuan, Zamboanga City. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is [indicate name(s)].</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <p>Select appropriate requirements and delete the rest.</p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. f. [Specify additional incidental service requirements, as needed.] <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> <p>Spare Parts –</p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p> <p>Select appropriate requirements and delete the rest.</p> <ol style="list-style-type: none"> a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and b. in the event of termination of production of the spare parts: <ol style="list-style-type: none"> i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested. <p>The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the cost thereof are included in the contract price.</p> <p>The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of Three (3) Months. If not used indicate a time period of three times the warranty period].</p>

	<p>Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.</p> <p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity</p> <p>Name of the Supplier</p> <p>Contract Description</p> <p>Final Destination</p> <p>Gross weight</p> <p>Any special lifting instructions</p> <p>Any special handling instructions</p> <p>Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<p>[If partial payment is allowed, state] “The terms of payment shall be as follows: _____.”</p>
4	<p>The inspections and tests that will be conducted are: Quality Inspection by Accounting, COA, CGSO and End User.</p>

BID SECURING DECLARATION
Invitation to Bid No.: *[Insert reference number]*

To: **City Government of Zamboanga,**
BIDS AND AWARDS COMMITTEE
Villalobos Street,
Zamboanga City

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and;
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ___ day of *[month]*/*[year]* at *[place of execution]*.

***[Insert NAME OF BIDDER OR ITS
AUTHORIZED REPRESENTATIVE
[Insert signatory's legal capacity]***

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]